



 \star The Semco Promise \star

Semco Stone owns and operates our own quarries. We pride ourselves in providing a natural and quality product. Our diverse building stone collection has some of the most unique products you will find. The beauty of our products is they are made from natural stone, therefore variations should and can be expected. Even though colors in this brochure are as close to the actual stone as possible, photographic and printing techniques – and even actual viewing conditions – can alter perception of color.

Selections should be made from actual samples whenever possible, but even samples can vary from the delivered product simply because the beauty of natural stone is that each piece is unique. Semco Stone does the best we can to maintain consistent colors and textures. Communication is key with masons, contractors and your sales representative so that Semco can do our best to provide exactly what you need to complete your dream project.

As the largest distributor of natural stone products in the Midwest, at Semco Stone, we have earned our reputation through consistent products, advancements in technology, and quality and service that exceed industry standards, laying a solid groundwork for your success. We operate to ensure lasting satisfaction and something our customers can enjoy for years to come.

"People don't buy what you do; they buy why you do it. And what you do simply proves what you believe."









Table of Contents



Prefix	Terms & Policies
Section 1	8" Drywall
Section 2	Natural Wall
Section 3	Steppers
Section 4	Flagstone
Section 5	Coping, Cap, Pattern Flag & Travertine
Section 6	Cobbles
Section 7	Boulders
Section 8	Ledge
Section 9	Edging
Section 10	Natural Stone Steps
Section 11	Treads
Section 12	Natural Stone Slabs
Section 13	Outdoor Living: Bubbling Boulders, Firepits, Fireplaces, Outdoor Islands, Pizza Ovens, Stone Benches
Section 14	Decorative Gravels - Bagged & Bulk
Section 15	Mulch & Soil
	Mulch & Soil
	Mulch & Soil PAVERS & RETAINING WALL SYSTEMS
Section 15	Mulch & Soil PAVERS & RETAINING WALL SYSTEMS Hessit Pavers & Anchor Retaining Walls
Section 15 Section 16	Mulch & Soil PAVERS & RETAINING WALL SYSTEMS Hessit Pavers & Anchor Retaining Walls SAND, SRW, PUMPS & ACCESS.
Section 15 Section 16 Section 17	Mulch & Soil PAVERS & RETAINING WALL SYSTEMS Hessit Pavers & Anchor Retaining Walls SAND, SRW, PUMPS & ACCESS. Polymeric Sand, Adhesive & Countertop Sealers
Section 15 Section 16 Section 17 Section 18	Mulch & Soil PAVERS & RETAINING WALL SYSTEMS Hessit Pavers & Anchor Retaining Walls SAND, SRW, PUMPS & ACCESS. Polymeric Sand, Adhesive & Countertop Sealers Accessories: Pumps, Geogrid, Fabric, Paver Edge, Prosteel
Section 15 Section 16 Section 17	Mulch & Soil PAVERS & RETAINING WALL SYSTEMS Hessit Pavers & Anchor Retaining Walls SAND, SRW, PUMPS & ACCESS. Polymeric Sand, Adhesive & Countertop Sealers Accessories: Pumps, Geogrid, Fabric, Paver Edge, Prosteel Orders Ready, Over 30 Days
Section 15 Section 16 Section 17 Section 18	Mulch & Soil PAVERS & RETAINING WALL SYSTEMS Hessit Pavers & Anchor Retaining Walls SAND, SRW, PUMPS & ACCESS. Polymeric Sand, Adhesive & Countertop Sealers Accessories: Pumps, Geogrid, Fabric, Paver Edge, Prosteel
Section 15 Section 16 Section 17 Section 18 Section 19	Mulch & Soil PAVERS & RETAINING WALL SYSTEMS Hessit Pavers & Anchor Retaining Walls SAND, SRW, PUMPS & ACCESS. Polymeric Sand, Adhesive & Countertop Sealers Accessories: Pumps, Geogrid, Fabric, Paver Edge, Prosteel Orders Ready, Over 30 Days
Section 15 Section 16 Section 17 Section 18 Section 19	Mulch & Soil PAVERS & RETAINING WALL SYSTEMS Hessit Pavers & Anchor Retaining Walls SAND, SRW, PUMPS & ACCESS. Polymeric Sand, Adhesive & Countertop Sealers Accessories: Pumps, Geogrid, Fabric, Paver Edge, Prosteel Orders Ready, Over 30 Days
Section 15 Section 16 Section 17 Section 18 Section 19	Mulch & Soil PAVERS & RETAINING WALL SYSTEMS Hessit Pavers & Anchor Retaining Walls SAND, SRW, PUMPS & ACCESS. Polymeric Sand, Adhesive & Countertop Sealers Accessories: Pumps, Geogrid, Fabric, Paver Edge, Prosteel Orders Ready, Over 30 Days

GENUINE STONE



TERMS & POLICIES

- Discrepancies/damage must be reported within 5 business days of delivery.
- Special order or non-stock material 50% non-refundable deposit prior to material being fabricated NO RETURNS.
- Please call for Freight rate.
 Please Note: Additional freight charge on specified products as noted on price sheet.
- Products can be mixed to obtain full load price discounts.
- Pallet covers \$2.00 each.
- Terms: Net 30 days on approved credit. Service charges accrue at the rate of 1.5% per month (18% APR) on all invoices not paid by due date. Accounts 60 days or more past due are subject to COD only terms and/or suspension of delivery.
- Accepted Payment Options: Cash, check, money order, American Express/Discover/MasterCard/Visa, or Check by Fax (please call for more details).
- Restocking Fee: 20% restocking fee plus freight on all returned items. No returns after 30 days. No partial pallets accepted.
- BP Building Products Retaining Wall Restocking Fee: 40% restocking fee on all returned items. No returns after 30 days. No partial pallets accepted.
- Warranty Policy: All products with warranties such as Atlantic Tidal Wave Pumps must be returned with a copy of the original invoice.
- Jobsite delivery charge of \$60.00 includes 1 hour for forklift & driver, each additional 1/2 hour is \$60.00.
- Prices are subject to change without notice.
- Load Changes: Cut off at 2:00 p.m. the day before shipment.
- Products shipped in full pallet quantities only.
- Stone products are a natural product and subject to the natural variances in color, size and quantity.
- Accounts without copies of proper tax exemption certificates on file will be assessed applicable taxes.
- Prices do not include templates, patterns or engineering unless otherwise indicated.
- No discounts on trucking or palletizing.
- Due to the fluctuations of fuel prices, loads are subject to fuel surcharges.

Semco Building Stone and Landscape Stone are natural stone products. Semco uses state-of-the-art technology to extract the stone in its natural state as safely as possible. However, products may contain cracks, pits, or other imperfections as a result of the quarrying process. The beauty of natural stone products resides in its unique characteristics; as a result, color, texture, size and bed-face variations will occur and may vary from samples provided to the customer and from shipment to shipment. Photographs, print material and items viewed on the Internet may be, in some measure, different from the stone you actually receive. All products are provided to you "AS IS" without warranty of any kind.

ltem#		Price
142	Black Hills Rustic 8 inch Drywall	/ton
	Multi earthtone-colored sandstone. Snapped front & back with natural beds. Heights average 3.5in 4.5in. and lengths of 12in 36in. Plt.Wt. 3200-3800 lbs. Apx. 20 sf/ton.	
111	Blue Sandstone 8 inch Drywall	/ton
	Blue-gray sandstone 3in 4in. high X 8 deep with lengths of 12-36 . Plt.Wt. 3600-4000 lbs. Apx. 20 sf/ton.	
105	Calico Cream 8 inch Drywall (3 5/8in Thick)	/ton
	Light buff to cream colored limestone, sawn top & bottom in 3 5/8in. height, split face. Some pieces may have 1 sawn Iong side. Plt.Wt. 3500-4000 lbs. Apx 20 sf/ton.	
101-2	Fond Du Lac 8 inch Drywall (2in - 3in Thick)	/ton
	Gray & buff colors. Natural layered, very dense limestone in 2in 3in. heights, random lengths. Apx.Plt.Wt. 4000 lbs. Apx. 18 sf/ton.	
101	Fond Du Lac 8 inch Drywall (3in - 5in Thick)	/ton
	Gray & buff colors. Natural layered, very dense limestone in 3in 5in. heights, random lengths. Apx.Plt.Wt. 4000 lbs. Apx. 18 sf/ton.	
102	Oakfield 8 inch Drywall	/ton
	Light buff colored limestone, textured beds with quartz pockets, 3in 5in. heights, random lengths. Apx.Plt.Wt. 4000 Ibs. Apx. 18 sf/ton.	
129	Old River 8 inch Sawn Top & Bottom Drywall	/ton
	Dense blue-gray limestone. 4in. heights, random lengths. Sawn top & bottom with split edges. Plt.Wt. 3000-3500 lbs. Apx. 20 sf/ton.	
129T	Old River 8 inch Sawn Top & Bottom Tumbled Drywall	/ton
	Dense blue-gray limestone. 4in. heights, random lengths. Sawn top & bottom with split edges. Tumbled. Plt.Wt. 3000- 3500 lbs. Apx. 20 sf/ton.	
110	Rocky Mountain Rose 8 inch Drywall	/ton
	Rose colored sandstone, snapped 8in. deep & runs 2in 4in. heights, random lengths. Plt.Wt. 4000-4300. Apx. 20 sf/ton.	
121	Scottsdale 8 inch Drywall	/ton
	Buff, tan & white colored sandstone, snapped 8in. deep & runs 3in 4in. heights, random lengths. Plt.Wt. 3000-3600 Ibs. Apx. 20 sf/ton.	
108	Silverdale 8 inch Drywall (Limited Availability)	/ton
	Light buff to gold in color. Split edges, sawn top & bottom in 3.5in. height x random lengths. Apx. 20sf/ton.	
108T	Silverdale 8 inch Tumbled Drywall (Limited Availability)	/ton
	Light buff to gold in color. Split edges, sawn top & bottom in 3.5in. height x random lengths. Tumbled. Apx. 20sf/ton.	
104	Sky Blue 8 inch Drywall (3 5/8in Thick) (Limited Availability)	/ton
	Light blue limestone sawn top & bottom in 3 5/8in. height, split face. Some pieces may have 1 sawn long side. Plt.Wt. 3600- 3900 lbs. Apx. 20 sf/ton.	

8" Drywall Section 1 - 1

ltem#		Price
189	Timber Creek 8 inch Drywall (Call for Availability)	/ton
	Limestone, light gray to buff with light buff to white mottling, some quartz crystals. 4in. heights, random lengths. Sawn top & bottom with split edges. Plt.Wt. 3000-3500 lbs. Apx. 20 sf/ton.	
189T	Timber Creek 8 inch Tumbled Drywall (Call for Availability)	/ton

Limestone, light gray to buff with light buff to white mottling, some quartz crystals. 4in. heights, random lengths. Sawn top & bottom with split edges. Tumbled. Plt.Wt. 3000-3500 lbs. Apx. 20 sf/ton.

ltem#		Price
227-BS	Blue Sandstone Tumbled Natural Wall (2in - 3in Thick)	/ton
	Gray to dark blue hard sandstone. Average thickness is 2in 3in. and is apx. 6in 24in. in diameter. Plt.Wt. 3500- 4000 lbs. Apx. 15 sf/ton.	
225	Buckskin Tumbled Natural Wall	/ton
	Multi colors of brown, rust, orange, buff & white in color & tumbled, giving it soft edges. Average thickness is 3in. with apx. 10in 24in. diameters. Plt.Wt. 3000-3500 lbs. Apx. 17 sf/ton.	
227	Choctaw Tumbled Natural Wall (2in - 3in Thick)	/ton
	Light mocha brown with dark brown edges & highlights. Tumbled. Average thickness is 2in 3in. and is apx. 6in 24in. in diameter. Plt.Wt. 3000- 3500 lbs. Apx. 15 sf/ton.	
228	Choctaw Tumbled Natural Wall (3in - 5in Thick)	/ton
	Light mocha brown with dark brown edges & highlights. Tumbled. Average thickness is 3in 5in. and is apx. 6in 24in. in diameter. Plt.Wt. 3000- 3500 lbs. Apx. 15 sf/ton.	
227-U	Choctaw Untumbled Natural Wall (2in - 3in Thick)	/ton
	Light mocha brown color with dark brown edges & highlights. Average thickness is 2in 3in. and is apx. 6in 24in. in diameter. Plt.Wt. 3000- 3700 lbs. Apx. 15 sf/ton.	
228-U	Choctaw Untumbled Natural Wall (3in - 5in Thick)	/ton
	Light mocha brown color with dark brown edges & highlights. Average thickness is 3in 5in. and is apx. 6in 24in. in diameter. Plt.Wt. 3000- 3700 lbs. Apx. 15 sf/ton.	
201	Fond Du Lac Natural Wall	/ton
	Buff to gray color, natural beds. Irregular pieces of limestone with average thickness of 3in 4in. & 12in 24in. in diameter. Plt.Wt. 3000-4000 lbs. Apx. 13 sf/ton.	
241	Hickory Gray Tumbled Natural Wall	/ton
	Medium to dark gray in color. 2in 3in. thick with diameters ranging between 12in 24in. Tumbled. Plt.Wt. 3000- 3800 lbs. Apx. 15 sf/ton.	
241-U	Hickory Gray Untumbled Natural Wall	/ton
	Medium to dark gray in color. 2in 3in. thick with diameters ranging between 12in 24in. Plt.Wt. 3000- 3800 lbs. Apx. 15 sf/ton.	
213	Old English Garden Stone Natural Wall	/ton
	Colors range from blue to blue/green. Rolled & tumbled irregular pieces presenting a very weathered look. Apx. 1.5in 2.5in. thick with average diameters of 10in 24in. Plt.Wt. 3400-3800 lbs. Apx. 15 sf/ton.	
242	Sandalwood Tumbled Natural Wall	/ton
	Colors range from sandy/buff to salmon to mauve or blush with a hint of brown on some pieces. Many pieces exhibit random striations. Very smooth surface. Apx. 8in 24in. in diameter & apx. 2.25in. thick. Tumbled. Plt.Wt. 3700-4400 lbs. Apx. 17 sf/ton.	

ltem#		Price
202	Semco Weathered Fieldstone Thick Natural Wall (3in - 5in Thick)	/ton
	Gray & brown mossy colored sandstone, some lichens, fairly flat. 3in 5in. thick. Irregular shapes with apx. 8in 18in. diameters. Plt.Wt. 2000- 3400 lbs. Apx. 15 sf/ton.	
202-1	Semco Weathered Fieldstone Thin Natural Wall (1in - 3in Thick)	/ton
	Gray & brown mossy colored sandstone, some lichens, fairly flat. 1in 3in. thick. Irregular shapes with apx. 8in 18in. diameters. Plt.Wt. 2000- 3400 lbs. Apx. 15 sf/ton.	
250	Summit Gray Tumbled Natural Wall	/ton
	Light gray sandstone with some brown in irregular pieces averaging 2in 3in. thick, apx. 12in 24in. length. Fairly flat beds. Plt.Wt. 2500-3000 lbs. Apx. 15 sf/ton.	
251	Wind River Tumbled Natural Wall	/ton
	Orange/rust colors in irregular pieces averaging 2in 3in. thick, apx. 12in 24in. length. Fairly flat beds. Plt.Wt. 2500- 3000 lbs. Apx. 15 sf/ton.	

ltem#		Price
320	Black Hills Tumbled Steppers	/ton
	Tan, rust, brown with some black. A hard sandstone with naturally smooth beds. Averaging 1in 1.5in. thick, irregular	
	pieces apx. 6in 20in. in diameter. Plt.Wt. 3200-3800 lbs. Apx. 100-110 sf/ton.	
321	Blue Sandstone Tumbled Steppers	/ton
	Blue-gray sandstone, averaging 1in 1.5in. thick, irregular pieces apx. 6in 20in. in diameter with naturally smooth beds. Plt.Wt. 3200-3800 lbs. Apx. 100-110 sf/ton.	
305	Chilton Steppers	/ton
	Gray, blue, burgundy & red in color, averaging 1in 2in. thick, & apx. 12in 20in. in diameter. Plt.Wt. 3800-4300 lbs. Apx. 90 sf/ton.	
302	Fond Du Lac Steppers	/ton
	Buff to gray colored limestone. Averaging 1in 2in. thick, irregular pieces apx. 8in 18in. in diameter with naturally smooth beds. Plt.Wt. 3800- 4200 lbs. Apx. 90 sf/ton.	
330	Hickory Gray Steppers (1 inch)	/ton
	Medium to dark gray with a consistent 1in. thickness and diameters averaging between 12in 30in. Apx.Plt.Wt. 3000	
	lbs. Apx. 110-120 sf/ton.	
331	Hickory Gray Steppers (2 inch)	/ton
	Medium to dark gray with a consistent 2in. thickness and diameters averaging between 12in 30in. Apx.Plt.Wt. 3000	
	lbs. Apx. 80 sf/ton.	
312	Misty Rose Steppers	/ton
	Light buff in color with pink tones, smooth beds. Apx. 2in. thick & diameters averaging 15in 24in. Plt.Wt. 3700-4200	
	lbs. Apx. 90 sf/ton.	
303	Oakfield Steppers	/ton
	Light buff colored limestone, averaging 1in 2in. thick, irregular pieces apx. 8in 18in. in diameter. Highly textured	
	bed with quartz pockets. Plt.Wt. 3800-4200 lbs. Apx. 90 sf/ton.	
304	Rocky Mountain Rose Steppers	/ton
	Light rose colored irregular pieces apx. 1in 2in. thick with average diameters 12in 18in. in size. Plt.Wt. 4000-4500 Ibs. Apx. 90 sf/ton.	
306	Sandstone Steppers (1.5 - 2.5 inch)	/ton
	Multi colors of brown, rust, orange, buff & white in color. Uniform thickness of apx. 1.5in 2.5in. and average	
	diameters of 12in 24in. Plt.Wt. 3100-3700 lbs. Apx. 90 sf/ton.	

Item#		Price
415-1	Black Hills Rustic Flagstone (1 inch)	/tor
	Tan, rust, brown with some black. A hard sandstone with very flat & consistent thicknesses. 1 - 1.5in. x 12 - 30in. diameters. Plt.Wt. 3200-4500 lbs. Apx. 110- 120 sf/ton.	
415	Black Hills Rustic Flagstone (2 inch)	/ton
	Tan, rust, brown with some black. A hard sandstone with very flat & consistent thicknesses. 2in 2.5in. x 12in 30in. diameters. Plt.Wt. 3200-4500 lbs. Apx. 80 sf/ton.	
415-SU1	Black Hills Rustic Standup Flagstone (1 inch)	/ton
	Tan, rust, brown with some black. A hard sandstone with very flat & consistent thicknesses of 1in1.5in. Diameters ranging apx. from 2ft. x 2ft. Up to 3ft x 4ft. With a Plt.Wt. of 3200-4500 lbs. Apx. 110- 120 sf/ton.	
415-SU2	Black Hills Rustic Standup Flagstone (2 inch)	/ton
	Tan, rust, brown with some black. A hard sandstone with very flat & consistent thicknesses of 1.75 in - 2.5 in. Diameters ranging apx. from 2ft. x 2ft. Up to 3ft x 4ft. With a Plt.Wt. of 3200-4500 lbs. Apx. 80 sf/ton.	
415-S	Black Hills Rustic Supreme Flagstone	/ton
	Tan, rust, brown with some black. A hard sandstone with very flat & consistent thicknesses. 2 - 3in. x 24 - 36in. diameters x 3 - 4.5ft long. Plt.Wt. 3200-4500 lbs. Apx. 70-80 sf/ton.	
419-1	Blue Sandstone Flagstone (1 inch)	/ton
	Gray to dark blue. A hard sandstone with very flat & consistent thicknesses. 1 - 1.5in. x 12 - 30in. diameters. Plt.Wt. 3200- 4300 lbs. Apx. 110-120 sf/ton.	
419	Blue Sandstone Flagstone (2 inch)	/ton
	Gray to dark blue. A hard sandstone with very flat & consistent thicknesses. 2 - 2.5in. x 12 - 30in. diameters. Plt.Wt. 3200- 4300 lbs. Apx. 80 sf/ton.	
419-SU1	Blue Sandstone Standup Flagstone (1 inch)	/ton
	Gray to dark blue. A hard sandstone with very flat & consistent thicknesses of 1in1.5in. Diameters ranging apx. from 2ft. x 2ft. Up to 3ft. x 4ft. With a Plt.Wt. of 3200- 4500 lbs. Apx. 110-120 sf/ton.	
419-SU2	Blue Sandstone Standup Flagstone (2 inch)	/ton
	Gray to dark blue. A hard sandstone with very flat & consistent thicknesses of 1.75 in 2.5 in. Diameters ranging apx. from 2ft. x 2ft. Up to 3ft. x 4ft. With a Plt.Wt. of 3200-4500 lbs. 80 sf/ton.	
422-1	Blue/Brown Flagstone (1 inch)	/ton
	Rust, brown to gray/blue. A hard sandstone with very flat & consistent thicknesses. 1 - 1.5in. x 12 - 30in. diameters. Plt.Wt. 3200-4300 lbs. Apx. 110- 120 sf/ton.	
422	Blue/Brown Flagstone (2 inch)	/ton
	Rust, brown to gray/blue. A hard sandstone with very flat & consistent thicknesses. 2in 2.5in. x 12in 30in. diameters. Plt.Wt. 3200-4300 lbs. Apx. 80 sf/ton.	
422-SU1	Blue/Brown Standup Flagstone (1 inch)	/ton
	Rust, brown to gray/blue. A hard sandstone with very flat & consistent thicknesses of 1in1.5in. Diameters ranging apx. from 2ft. x 2ft. Up to 3ft x 4ft. With a Plt.Wt. of 3200-4500 lbs. Apx. 110- 120 sf/ton.	

ltem#		Price
422-SU2	Blue/Brown Standup Flagstone (2 inch)	/toi
	Rust, brown to gray/blue. A hard sandstone with very flat & consistent thicknesses of 1.75 in 2.5 in. Diameters ranging apx. from 2ft. x 2ft. Up to 3ft x 4ft. With a Plt.Wt. of 3200-4500 lbs. Apx. 80 sf/ton.	
401	Fond Du Lac Flagstone	/tor
	Buff and gray limestone with a smooth bed. 1.5in 2in. x large sheets averaging 20in 36in. diameters. Plt.Wt. 3500- 4200 lbs. Apx. 90 sf/ton.	
401-SU1	Fond Du Lac Standup Flagsone (1 inch)	/ton
	Light to dark silver limestone with a smooth bed. 3/4 - 1 1/4in. Irregular shapes averaging 24 - 36in. diameters. Plt.Wt. 3500-4200 lbs. Apx. 100 sf/ton.	
401-SU2	Fond Du Lac Standup Flagstone (2 inch)	/ton
	Light to dark silver limestone with a smooth bed. 1.5 - 2.5in. Irregular shapes averaging 24 - 36in. diameters. Plt.Wt. 3200-4000 lbs. Apx. 90 sf/ton.	
409	Golden Quartz Flagstone	/ton
	Gold with silver & gray colors mixed with a sparkle of mica & quartz specs on surface. Very hard & consistent thickness of 3/4in 1in. & 12in 24in. diameters. Apx.Plt.Wt. 4000 lbs. Apx. 100-130 sf/ton.	
435	Grand Canyon Flagstone	/ton
	Rose color with plum stripes & swirls. Irregular shapes averaging 1.5 -2in. & 12 - 28in. diameters. Plt.Wt. 2800-3800 Ibs. Apx. 90 sf/ton.	
450	Hickory Gray Flagstone	/ton
	Medium to dark gray irregular flagstone. 2in 2.5in. and pallet size diameters averaging 24in 40in. Plt.Wt. 3000- 3500 lbs. Apx. 80 sf/ton.	
403	Misty Rose Flagstone	/ton
	Light buff with light pink tones & smooth beds. Averages 1.5in 2in. thick. It comes packaged as premium sized stand- up sheets approx 24in 48in. diameters. Plt.Wt. 3500- 4000 lbs. Apx. 120-130 sf/ton.	
402	Oakfield Flagstone	/ton
	Light buff limestone, highly textured bed with quartz pockets. Apx. 2in 3in. thick, large sheets averaging 24in 40in. diameters. Plt.Wt. 3200- 3700 lbs. Apx. 90 sf/ton.	
404	Pennsylvania Blue Sawn Pattern Flag - Full Color Range	/sf
	Full color range in blues and greens with brown, yellow and lilac accents. Natural cleft top. Sawn on 4 sides. Sizes range from 12in. x 12in. up to 24in. x 36in. (in 6in. nominal increments). Apx. 1.5in. thick. Apx.Plt.Wt. 3200 lbs. 200 sf/plt (sf. based on 1/2in. joints).	
407	Pennsylvania Blue Standup Irregular Flag - Full Color (1 inch)	/ton
	Full color. Irregular flagstone 1in 1.5in. thick. Large stand up sheets that are Apx. 24in 40in. diameters. Plt.Wt. 3500-4000 lbs. Apx. 120 sf/ton.	, .01
407-2	Pennsylvania Blue Standup Irregular Flag - Full Color (2 inch)	/ton
	Full color. Irregular flagging 1.5 - 2.5in. thick. Large stand up sheets. Apx. 24 - 40in. diameters. Plt.Wt. 3500-4000 lbs. Apx. 80 sf/ton.	

	Price
Rocky Mountain Rose Flagstone	/ton
Large irregular pieces of light rose colored sandstone with an average thickness of 2in. and Apx. 24in 40in. diameters. Plt.Wt. 3500-4500 lbs. Apx. 80 sf/ton.	
Sandstone Flagstone	/ton
Multi colors of brown, rust, orange, buff & white in color. Apx. 1.5in 2in. thick large irregular sheets averaging 24in 48in. diameters. Apx.Plt.Wt. 3000 lbs. Apx. 90 sf/ton.	
Silver Gray Quartz Flagstone	/ton
Light gray, silver colored quartz flagstone. Consistent thickness averaging 3/4in 1in. & apx. 12in 24in. in diameter. Apx.Plt.Wt. 4000 lbs. Apx. 100-130 sf/ton. *Due to availability, may be 1.5in 2in. thick*	
Summit Gray Flagstone (1 inch)	/ton
Sandstone, light gray with some brown. Very smooth consistent beds. 1in 1.75in. x 12in 30in. diameter. Plt.Wt. 3800- 4500 lbs. 110-120 sf/ton.	
Summit Gray Flagstone (2 inch)	/ton
Sandstone, light gray with some brown. Very smooth consistent beds. 2in 2.5in. x 12in 30in. diameters. Plt.Wt. 3800- 4500 lbs. Apx. 80 sf/ton.	
Summit Gray Standup Flagstone (1 inch)	/ton
Sandstone, light gray with some brown. Very smooth consistent beds. 1 - 1.75in. x 2ft. x 2ft. up to 3ft. x 4ft.	
diameters. Plt.Wt. 3800-4500 lbs. 110-120 sf/ton.	
Wind River Flagstone (1 inch)	/ton
Tan, pink, rust & dark brown in color with smooth beds. Plt.Wt. 3800-4500 lbs. Apx.110-120 sf/ton.	
Wind River Flagstone (2 inch)	/ton
Tan, pink, rust & dark brown in color with smooth beds. 2in 2.5in. x 12in 30in. diameter. Plt.Wt. 3800-4500 lbs.	
	Large irregular pieces of light rose colored sandstone with an average thickness of 2in. and Apx. 24in 40in. diameters. Plt.Wt. 3500-4500 lbs. Apx. 80 sf/ton. Sandstone Flagstone Multi colors of brown, rust, orange, buff & white in color. Apx. 1.5in 2in. thick large irregular sheets averaging 24in 48in. diameters. Apx.Plt.Wt. 3000 lbs. Apx. 90 sf/ton. Silver Gray Quartz Flagstone Light gray, silver colored quartz flagstone. Consistent thickness averaging 3/4in 1in. & apx. 12in 24in. in diameter. Apx.Plt.Wt. 4000 lbs. Apx. 100-130 sf/ton. *Due to availability, may be 1.5in 2in. thick* Summit Gray Flagstone (1 inch) Sandstone, light gray with some brown. Very smooth consistent beds. 1in 1.75in. x 12in 30in. diameter. Plt.Wt. 3800- 4500 lbs. 110-120 sf/ton. Summit Gray Flagstone (2 inch) Sandstone, light gray with some brown. Very smooth consistent beds. 2in 2.5in. x 12in 30in. diameters. Plt.Wt. 3800- 4500 lbs. Apx. 80 sf/ton. Summit Gray Standup Flagstone (1 inch) Sandstone, light gray with some brown. Very smooth consistent beds. 2in 2.5in. x 12in 30in. diameters. Plt.Wt. 3800- 4500 lbs. Apx. 80 sf/ton. Summit Gray Standup Flagstone (1 inch) Sandstone, light gray with some brown. Very smooth consistent beds. 1 - 1.75in. x 2ft. x 2ft. up to 3ft. x 4ft. diameters. Plt.Wt. 3800-4500 lbs. 110-120 sf/ton. Wind River Flagstone (1 inch) Tan, pink, rust & dark brown in color with smooth beds. Plt.Wt. 3800-4500 lbs. Apx.110-120 sf/ton.

Apx.80 sf/ton.

ltem#		Price
403-В	Coping - Castle Blue Thermal (12x24x2) 66 EA/Plt	/ea
	Blue sandstone, thermal top with bullnose edge. 2ft. long x 12in. wide x 2in. thick. 66 pcs/plt.	
L403-CB	Coping - Castle Buff (12x24x2) 48 EA/Plt	/ea
	Light to dark buff, browns and tans. Sandblasted with bullnose edge. 2ft. long x 12in. wide x 2in. thick. 48 pcs./plt.	,
L403-CG	Coping - Castle Grey (12x24x2) 48 EA/Plt	/ea
	Light to dark greys. Sandblasted with bullnose edge. 2ft. long x 12in. wide x 2in. thick. 48 pcs./plt.	
1401-CB	Wall Cap - Castle Buff (14x24x2) 40 EA/Plt	/ea
	Light to dark buff, browns and tans. Chiseled edge along front & back. 2ft. long x 14in. wide x 2in. thick. 40 pcs./plt.	
1401-CG	Wall Cap - Castle Grey (14x24x2) 40 EA/Plt	/ea
	Light to dark greys. Chiseled edge along front & back. 2ft. long x 14in. wide x 2in. thick. 40 pcs./plt.	
1402-B	Pattern Flag - Castle Blue Thermal Sawn (Pattern #2) 200 SF	/sf
	Blue sandstone, 1in. thick, thermal top, sawn edges & bottom. 82 pc./plt., 200 sf./plt., 2600 lbs./plt.	
1402-108CB	Pattern Flag - Castle Buff (Jumbo French Patten) 108 SF	/sf
	Jumbo sized natural paving stones in convenient patio packs make project waste and expense minimal. Light to dark buff, browns and tans. Natural top, hand split edges. 108 sf./plt., 1242 lbs./plt.	
1402-CB	Pattern Flag - Castle Buff (Jumbo French Pattern) 216 SF	/sf
	Jumbo sized natural paving stones in convenient patio packs make project waste and expense minimal. Light to dark buff, browns and tans. Natural top, hand split edges. 216 sf./plt., 2484 lbs./plt.	
1402-108CG	Pattern Flag - Castle Grey (Jumbo French Pattern) 108 SF	/sf
	Jumbo sized natural paving stones in convenient patio packs make project waste and expense minimal. Light to dark greys. Natural top, hand split edges. 108 sf./plt., 1242 lbs./plt.	
1402-CG	Pattern Flag - Castle Grey (Jumbo French Pattern) 216 SF	/sf
	Jumbo sized natural paving stones in convenient patio packs make project waste and expense minimal. Light to dark greys. Natural top, hand split edges. 216 sf./plt., 2484 lbs./plt.	
	Travertine Tumbled Bullnose Coping Bullnose Coping 12in. x 24in. x 2in. thick. 40 pcs. per plt., 2080 lbs. per plt.	
473-CC	Travertine Tumbled Bullnose Coping 40 EA - Country Classic	
473-I	Travertine Tumbled Bullnose Coping 40 EA - Ivory	Quote Only
473-N	Travertine Tumbled Bullnose Coping 40 EA - Noce	Quere e,
	Travertine Tumbled French Pattern Natural stone, honed and unfilled. Resistant to moisture, cold, heat and erosion. Travertine pavers do not retain heat and its surface remains cool to the touch. They are slip- resistant making them a perfect addition around a pool area. These pavers are extremely durable and resistant to cracks. Excellent for pools, decks, patios, entry ways, docks,	
	borders, and walkways. Residential and commercial with heavy and light traffic. 176 sf./plt., 2816 lbs./plt.	
470-CC	Travertine Tumbled French Pattern 176 SF - Country Classic	
470-I	Travertine Tumbled French Pattern 176 SF - Ivory	Quote Only
470-N	Travertine Tumbled French Pattern 176 SF - Noce	
470-I	Travertine Tumbled French Pattern 176 SF - Pacific *While Supplies Last*	

Coping, Cap, Pattern Flag, Travertine Section 5 - 1

Item#		Price
505	Bucks Creek Cobbles (4 - 8 inch)	/tor
	Gray-tan with slight sparkle. Flat, smooth & rounded. Apx.Plt.Wt. 3000 lbs. Apx. 50 sf/ton.	
505-SM	Bucks Creek Cobbles - Small (3 - 5 inch)	/tor
	Gray-tan with slight sparkle. Flat, smooth & rounded. Apx.Plt.Wt. 3000 lbs. Apx. 50 sf/ton.	
502	Canadian Colored Cobbles (3 -9 inch)	/tor
	Multi-colored pinks, whites & grays. Round granite cobbles in 3in 9in. Unsorted size. Plt.Wt. 3300-3700 lbs. Apx. 30 sf/ton.	
515	Grand Canyon Cobbles	/tor
	Unique lavender colored cobbles with smooth surface & tan swirls. 6in 8in. Plt.Wt. 3000-3500 lbs. Apx. 30 sf/ton.	
501	Kewanee Creek Flats	/tor
	Hand selected naturally smooth, flat stones, very colorful with colors of red, white, black, gray, burgundy, etc. Average size is 6in 12in. Plt.Wt. 2500-3500 lbs. Apx. 60 sf/ton.	
522-C1	Kewanee Skippers (1.5 - 3 inch)	/tor
	Hand selected, sorted by size, naturally smooth, flat stones, very colorful with colors of red, white, black, gray, burgundy etc. 1.5in 3in. Plt.Wt. 2800-3400 lbs. Apx. 80-120 sf/ton.	
522-C4	Kewanee Skippers (4 - 7 inch)	/to
	Hand selected, sorted by size, naturally smooth, flat stones, very colorful with colors of red, white, black, gray, burgundy etc. 4in 7in. Plt.Wt. 2800-3400 lbs. Apx. 80-120 sf/ton.	
504-C1	Mexican Beach Pebbles (1 - 2 inch)	/tor
	Hand selected, smooth, flat & rounded, black in color. Apx.Plt.Wt. 3000 lbs. Apx 60-80 sf/ton.	
504-C2	Mexican Beach Pebbles (2 - 3 inch)	/toi
	Hand selected, smooth, flat & rounded, black in color. Apx.Plt.Wt. 3000 lbs. Apx 60-80 sf/ton.	
504-C3	Mexican Beach Pebbles (3 - 5 inch)	/tor
	Hand selected, smooth, flat & rounded, black in color. Apx.Plt.Wt. 3000 lbs. Apx 60-80 sf/ton.	
504-C1M	Mexican Beach Pebbles Multi Color (1 - 2 inch)	/tor
	Hand selected, smooth, flat & rounded, Multi color. Apx.Plt.Wt. 3000 lbs. Apx 60-80 sf/ton.	
504-C2M	Mexican Beach Pebbles Multi Color (2 - 3 inch)	/tor
	Hand selected, smooth, flat & rounded, multi color. Apx.Plt.Wt. 3000 lbs. Apx 60-80 sf/ton.	
504-C3M	Mexican Beach Pebbles Multi Color (3 - 5 inch)	/to
	Hand selected, smooth, flat & rounded, multi color. Apx.Plt.Wt. 3000 lbs. Apx 60-80 sf/ton.	
509-3	Mexican Rainbow Cobbles (3 - 6 inch)	/tor
	Rounded, multi-colored with grays, browns & burgundy. Some elongated pieces may be up to 18in. with diameters up to 10in. Plt.Wt. 2800-3200 lbs. Apx. 25-30 sf/ton.	

Cobbles Section 6 - 1

ltem#		Price
520	Sedona Cobbles (2.5 - 4 inch)	/ton
	Red, blue, white & gray rounded cobbles. Plt.Wt. 2800-3400 lbs. Apx. 35 - 40 sf/ton.	
520-C6	Sedona Cobbles (4 - 12 inch)	/ton
	Red, blue, white & gray rounded cobbles. Plt.Wt. 2800-3400 lbs. Apx. 30-35 sf/ton.	
517-L	Tennessee River Flats - Large (10 - 18 inch)	/ton
	Gray to tan in color, flat, smooth surface. Plt.Wt. 2800- 3100 lbs. Apx. 20-25 sf/ton.	
517-M	Tennessee River Flats - Medium (6 - 10 inch)	/ton
	Gray to tan in color, flat, smooth surface. Plt.Wt. 2800- 3100 lbs. Apx. 30-35 sf/ton.	
517-S	Tennessee River Flats - Small (4 - 6 inch)	/ton
	Gray to tan in color, flat, smooth surface. Plt.Wt. 2800- 3100 lbs. Apx. 35-40 sf/ton.	
525-L	Tennessee River Rounds - Large (10 - 18 inch)	/ton
	Gray to tan in color, rounded, smooth surface. Plt.Wt. 2800- 3100 lbs. Apx. 20-25 sf/ton.	
525-M	Tennessee River Rounds - Medium (6 - 10 inch)	/ton
	Gray to tan in color, rounded, smooth surface. Plt.Wt. 2800- 3100 lbs. Apx. 30-35 sf/ton.	
525-S	Tennessee River Rounds - Small (4 - 6 inch)	/ton
	Grav to tan in color, rounded, smooth surface, Plt W/t, 2800-3100 lbs, Apy, 35-40 sf/ton	

Gray to tan in color, rounded, smooth surface. Plt.Wt. 2800- 3100 lbs. Apx. 35-40 sf/ton.

ltem#		Price
660	Black Ice Boulders	/ton
	Black Obsidian. 98% volcanic glass, black in color. 12in 18in. diameters. Plt.Wt. 2400-2800 lbs.	,
608-L	Glacier Boulders - Large	/ton
608-M	Glacier Boulders - Medium	/ton
608-S	Glacier Boulders - Small	/ton
	Pinks, whites, grays, multi- colored, smooth & round. Small 12in 18in., Medium 18in 24in. Or Large 24in 36in. Plt.Wt. 3000-3400 lbs.	
636BL-L	Mossy Mountain Boulders - Large	/ton
636BL-M	Mossy Mountain Boulders - Medium	/ton
636BL-S	Mossy Mountain Boulders - Small	/ton
	Blend of brown, tan, gray, green & some pink. Small 12in 18in., Medium 18in 30in. or Large 30+in. Plt.Wt. 2500- 3000 lbs.	
636-В	Mossy Mountain Boulders (Unpalletized)	/ton
	Blend of brown, tan, gray, green & some pink. 1500 lbs. & up on flat bed unloaded with forklift.	
602	Royal Gorge Boulders	/ton
	Pink with white quartz & mica all mingled together. 12in 18in. Plt.Wt. 2400-2800 lbs.	
605-L	Sponge Boulders - Large	/ton
605-M	Sponge Boulders - Medium	/ton
605-S	Sponge Boulders - Small	/ton
	Rust color with sponge-like holes, contains quartz crystal deposits around holes in boulders. Small 12in 18in., Medium 18in 30in. or Large 30+in. Plt.Wt. 1300-2500 lbs.	
615-L	Trap Boulders - Large	/ton
615-M	Trap Boulders - Medium	/ton
615-S	Trap Boulders - Small	/ton
	Dark blue-purple with shades of dark green & red. Small 12in 18in., Medium 18in 30in. or Large 30+in. Plt.Wt.	
612-В	Weathered Granite Boulders (Unpalletized)	/ton
	Light red or pink in color with some lichens. Irregular shapes. 1500 lbs. & up on flat bed unloaded with forklift.	
604BL-L	Weathered Limestone Boulders - Large	/ton
604BL-M	Weathered Limestone Boulders - Medium	/ton
604BL-S	Weathered Limestone Boulders - Small	/ton
	Light buff to cream to dark gray in color. Small 12in 18in., Medium 18in 30in. or Large 30+in. Plt.Wt. 2200-3800 Ibs.	
604-B	Weathered Limestone Boulders (Unpalletized)	/ton
	Light buff to cream to dark gray in color. 1500 lbs. & up on flat bed unloaded with forklift.	
609BL-L	Weathered Sandstone Boulders - Large	/ton
609BL-M	Weathered Sandstone Boulders - Medium	/ton
609BL-S	Weathered Sandstone Boulders - Small	/ton
	Mossy, light gray to brown with lichens on boulders. Very weathered & natural looking. Small 12in 24in., Medium 18in 30in. or Large 30+in. Plt.Wt. 3200-4000 lbs.	
	<u>1 1/4" HOLE CAN BE DRILLED IN SELECT BOULDERS UP TO 48" THICK</u>	
	Up to 24" thick, add \$75.00	
	Add \$2.00 per each additional inch over 24" up to 48"	

Boulders Section 7 - 1

		Price
898	Benson Natural Beam	/tor
	Brown to rust in color. Natural top & bottom. 5in 8in. thick x 18in 24in. deep x random lengths 4 - 8 ft. long. Plt.Wt. 4000-6000 lbs.	
639MCP	Castlewood 14 inch Premium Machine Split	/tor
	Buff and Gray in color, uniform heights of 13in 15in. with depths of 18in 20in. +/- and 4 - 5 ft. in length. Plt.Wt. 3500-4000 lbs.	
621-18P	Castlewood 14 inch Natural Buff 18 - 24 Wide - Palletized non stock	/tor
621-18	Castlewood 14 inch Natural Buff 18 - 24 Wide - Bulk non stock	/tor
621-24	Castlewood 14 inch Natural Buff 24 - 30 Wide - Bulk non stock	/tor
621-31	Castlewood 14 inch Natural Buff 31 - 40 Wide - Bulk non stock	/tor
	Buff and Gray in color, uniform heights of 13in 15in. with depths of 18in 24in., 24in 30in., 31in 40in. +/- and 4 - 5 ft. in length.	
639-6	Castlewood 6 inch Ledge	/tor
	Buff and Gray in color, uniform heights of 4in 6in., 24in - 30in. deep and 4 - 5 ft. in length. Plt.Wt. 3500-4000 lbs.	
634	Easton Ledge	/tor
	Buff in color. Irregular 12in 36in. deep x 3 - 4 ft. long, 6in 10in. thick. Plt.Wt. 3000-3500 lbs.	
636LL-L	Mossy Mountain Ledge - Large	/tor
636LL-M	Mossy Mountain Ledge - Medium	/tor
	Blend of brown, tan, gray, green & some pink. Plt.Wt. 2500-3000 lbs.	
899	Stetson Sawn Beams	/tor
	Light gray to charcoal with some buff. Sawn top & bottom. 14 thick x 18in 24in. deep x random lengths 3 - 7 ft. Plt.Wt. 4000-5000 lbs.	
894	Timberland Sawn Wall	/tor
	Gray, blue & buff tones. 12in. deep x 12in. tall x 2ft. or 4ft. lengths. Specify length. Plt.Wt. 3500-4000 lbs.	
604LL-L	Weathered Limestone Ledgerock - Large	/tor
604LL-M	Weathered Limestone Ledgerock - Medium	/tor
604LL-S	Weathered Limestone Ledgerock - Small	/tor
	Light buff to cream to dark gray in color. Plt.Wt. 3200-3800 lbs.	
609LL-L	Weathered Sandstone Ledge - Large	/tor
609LL-M	Weathered Sandstone Ledge - Medium	/tor
	Mossy, light gray to brown with lichens. Plt.Wt. 3200-3800 lbs.	
609-WF	Weathered Sandstone Waterfall Ledge	/tor
	Mossy, light gray to brown with lichens. Very weathered & natural looking. 1in 5in. thick x 24in 48in. diameter	

711 747	Anchor Edgers 4in x 4in x 12in., 1 In.ft. per piece 192 ea/plt. Stock Colors: Cedar Creek Red-RB, Desert Blend-D, Granite Blend-GB, Tan-T. Special Order Colors (Please allow 1-2 weeks for delivery): Brown-BRN, Charcoal-C, Gray-G, Red-R. Apx. Plt.	/ea
747		
747	Tan-T. Special Order Colors (Please allow 1-2 weeks for delivery): Brown-BRN, Charcoal-C. Grav-G. Red-R. Apx, Plt.	
747		
747	Wt. 2730 lbs.	
	Black Hills Rustic Tumbled Edging	/tor
	Multi-colored tumbled sandstone with tan, rust & black colors. The stone is very hard & consistent. 4in. x 4in. x	7101
	random lengths. Tumbled. Plt.Wt. 3500- 4000 lbs. Apx. 110 lf/ton.	
747-U	Black Hills Rustic Untumbled Edging	/ton
	Multi-colored sandstone with tan, rust & black colors. The stone is very hard & consistent. 4in. x 4in. x random	
	lengths. Plt.Wt. 3500-4000 lbs. Apx. 110 lf/ton.	
750	Blue Sandstone Tumbled Edging	1
	Medium to dark blue-gray in color. 4 x 4 x random lengths. Tumbled. Plt Wt. 3500-4000. Apx. 100-110 lf/ton.	/ton
702	Boone County Tumbled Edging	/ton
	Medium to dark blue-gray sandstone, 5in. x 5in. x random lengths, tumbled to round the edges. Plt.Wt. 3500-4000	7.01
	lbs. Apx. 100 lf/ton.	
720	Fond Du Lac Tumbled Edging	/ton
	Machine cut limestone, gray to buff in color, 4in. x 4 - 5in. x random lengths. Tumbled. Plt.Wt. 2800-3000 lbs. Cover	
	apx. 120 lf/ton.	
701	Fond Du Lac Untumbled Edging	/ton
	Machine cut limestone, gray to buff in color, 4in. x 4 - 5in. x random lengths. Plt.Wt. 3500-4300 lbs. Covers apx. 120	7.011
	lf/ton.	
716	Maple Hill Tumbled Edging	/ton
	Machine split & tumbled sandstone providing a rustic look with light tan & buff colors. Sizes apx. 5in. x 5in. x random	/1011
	length. Tumbled. Plt.Wt. 2800-3500 lbs. Apx. 120 lf/ton.	
722	Old River Tumbled Edging	/ton
	Dense blue-gray limestone. 4in. x 4in. x random lengths. Tumbled. Plt.Wt. 2800-3200 lbs. Apx. 120 lf/ton.	
722-U	Old River Untumbled Edging	/ton
	Dense blue-gray limestone. 4in. x 4in. x random lengths. Plt.Wt. 2800-3200 lbs. Apx. 120 lf/ton.	
746	Rocky Mountain Rose Tumbled Edging	"
. 40	Rose colored sandstone, machine cut & tumbled 4in. x 4in. x random lengths. Plt.Wt. 3500- 4000 lbs. Apx. 140	/ton
	If/ton.	
706	Silverdale Tumbled Edging	/ton
	Light buff to gold in color. Sawn top & bottom, machine cut all edges. 4in. x 4in. x random lengths. Tumbled. Plt.Wt.	
	3500-4000 lbs. Apx. 120 lf/ton.	
706-U	City and a la Unity weblack Education	
, 50-0	Silverdale Untumbled Edging Light buff to gold in color. Sawn top & bottom, machine cut all edges. 4in. x 4in. x random lengths. Plt.Wt. 3500-	/ton
	4000 lbs. Apx. 120 lf/ton.	

ltem#		Price
719	Stoneybrook Tumbled Edging	/ton
	Gray limestone with a touch of blue, mauve & lavender. 4in. x 4in. x random lengths. Tumbled. Plt.Wt. 2800-3200 lbs. Cover apx. 120 lf/ton.	
740	Summit Gray Tumbled Edging	/ton
	Light gray in color with some brown. Machine split & tumbled sandstone. Apx. 3.5in. thick x 4.5in. x 6in 11in. Plt.Wt. 2800- 3300 lbs. Apx. 130 lf/ton.	
745	Timber Creek Tumbled Edging	/ton
	Limestone, light gray to buff with light buff to white mottling, some quartz crystals. 4in. x 4in. x random lengths. Tumbled. Plt.Wt. 2800-3200 lbs. Apx. 120 lf/ton.	
745-U	Timber Creek Untumbled Edging	/ton
	Limestone, light gray to buff with light buff to white mottling, some quartz crystals. 4in. x 4in. x random lengths. Plt.Wt. 2800-3200 lbs. Apx. 120 lf/ton.	
703	Wind River Tumbled Edging	/ton
	Machine split & tumbled sandstone provides an antiqued rustic look with tan, rust & black colors. 3.5in. thick x 4.5in. x 6in 11in. Apx.Plt.Wt. 3000 lbs. Apx. 130 lf/ton.	

ltem#		Price
814-36	Black Hills Rustic Natural Steps 3 ft	/tor
	Multi-colored sandstone. 8 to 10 steps/plt. Natural beds, split perimeter edges. Apx. 6in 8in. x 16in 18in. x 3ft long. Plt.Wt. 3200-3500 lbs.	
814-48	Black Hills Rustic Natural Steps 4 ft	/ton
	Multi-colored sandstone. 8 to 10 steps/plt. Natural beds, split perimeter edges. Apx. 6in 8in. x 16in 18in. x 4ft long. Plt.Wt. 3900-4500 lbs.	
815	Black Hills Rustic Natural Slab Steps	/ton
	Multi-colored sandstone, irregular natural slab steps. Apx. 5in 7in. x 24in 36in. x 3ft - 5ft long. Plt.Wt. 3500-4200 Ibs.	
815-BS	Blue Sandstone Natural Slab Steps	/ton
	Gray to dark blue sandstone, irregular natural slab steps. Apx. 5in 7in. x 24in 36in. x 3ft - 5ft long. Plt.Wt. 3500- 4200 lbs.	
828-36	Blue/Brown Sandstone Natural Steps 3 ft (Limited Availability)	/ton
	Multi-colored sandstone. 8 to 10 steps/plt. Natural beds, split perimeter edges. Apx. 6in 8in. x 16in 18in. x 3ft long. Plt.Wt. 3200-3500 lbs.	-
828-48	Blue/Brown Sandstone Natural Steps 4 ft (Limited Availability)	/ton
	Multi-colored sandstone. 8 to 10 steps/plt. Natural beds, split perimeter edges. Apx. 6in 8in. x 16in 18in. x 4ft long. Plt.Wt. 3900-4500 lbs.	-
821-36	Brentwood Sawn Steps 3 ft	/ton
	Multi-colored sandstone. 10 steps/plt. Sawn top & bottom, split perimeter edges. Apx. 6in 8in. x 16in 18in. x 3ft long. Apx.Plt.Wt. 3600 lbs.	
821-48	Brentwood Sawn Steps 4 ft	/ton
	Multi-colored sandstone. 8 steps/plt. Sawn top & bottom, split perimeter edges. Apx. 6in 8in. x 16in 18in. x 4ft long. Apx.Plt.Wt. 3900 lbs.	
821-60	Brentwood Sawn Steps 5 ft	/ton
	Multi-colored sandstone. 6 steps/plt. Sawn top & bottom, split perimeter edges. Apx. 6in 8in. x 16in 18in. x 5ft Iong. Apx.Plt.Wt. 3700 lbs.	
818-4	Dove Gray Sawn Steps 4 ft	/ea
	Light Gray in color with some buff variation. 8 steps/plt. Sawn top & bottom, split perimeter edges. Apx. 6in. x 15in.	,
	x 4ft. Apx.Plt.Wt. 3200 lbs.	
819-36	Easton Sawn Steps 3 ft	/ea
	Buff in color. 6 steps/plt. Sawn top & bottom, split perimeter edges. 6in. thick x 18in. deep x 36in. long. Apx.Plt.Wt. 4000 lbs.	
819-48	Easton Sawn Steps 4 ft	/ea
	Buff in color. 6 steps/plt. Sawn top & bottom, split perimeter edges. 6in. thick x 18in. deep x 48in. long. Apx.Plt.Wt. 3400 lbs.	

Item#		Price
822T-36	Old River Sawn Steps 3 ft	/ea
	Dense blue-gray limestone. 8 steps/plt. Sawn top & bottom, thermal top, split perimeter edges. Apx. 6in. x 16in. x 3ft. Apx.Plt.Wt. 2600 lbs.	
822T-48	Old River Sawn Steps 4 ft	/ea
	Dense blue-gray limestone. 8 steps/plt. Sawn top & bottom, thermal top, split perimeter edges. Apx. 6in. x 16in. x 4ft. Apx.Plt.Wt. 3520 lbs.	
809-3	Rock Valley Natural Steps 3 ft	/ea
	Light gray limestone. 8 steps/plt. Very hard with highly textured natural beds, split perimeter edges. Apx. 5in 7in. x 16in 18in. x 3ft long. Plt.Wt. 3300-3600 lbs.	
809-4	Rock Valley Natural Steps 4 ft	/ea
	Light gray limestone. 8 steps/plt. Very hard with highly textured natural beds, split perimeter edges. Apx. 5in 7in. x 16in 18in. x 4ft long. Plt.Wt. 3300-3600 lbs.	
827-P	Rock Valley Premium Natural Slab Steps	/ton
	Light gray limestone natural slab steps with highly textured beds. 5in 8in. thick with depths ranging from 24-40. Lengths are random between 40-50.	
805-36	Scottsdale Natural Steps 3 ft (Limited Availability)	/ton
	Buff, tan & white colored sandstone. Natural beds, split perimeter edges to apx. 5in 6in. x 16in. x 3ft long. Plt.Wt. 3200-3600 lbs.	
805-48	Scottsdale Natural Steps 4 ft (Limited Availability)	/ton
	Buff, tan & white colored sandstone. Natural beds, split perimeter edges to apx. 5in 6in. x 16in. x 4ft long. Plt.Wt. 3200-3600 lbs.	
808-36	Silverdale Sawn Steps 3 ft	/ea
	Light buff to gold in color. 6 steps/plt. Sawn top & bottom, split perimeter edges. 6in. x 18in. x 3ft long. Plt.Wt. 3000- 3300 lbs.	
840-MC36	Summit Gray Natural Steps 3 ft	/ea
	Sandstone, light gray with some brown. 8 to 10 steps/plt. Natural beds, split perimeter edges. 5in 7in. x 18in. x 3ft long. Plt.Wt. 3200-3500 lbs.	
840-MC48	Summit Gray Natural Steps 4 ft	/ea
	Sandstone, light gray with some brown. 8 to 10 steps/plt. Natural beds, split perimeter edges. 5in 7in. x 18in. x 4ft Iong. Plt.Wt. 3400-4000 lbs.	
850-36	Timber Creek Sawn Steps 3 ft	/ea
	Limestone, light gray to buff with light buff to white mottling, some quartz crystals. 8 steps/plt. Sawn top and bottom, split perimeter edges. 6in. x 16in. x 3ft long. Plt.Wt. 2500-3000 lbs.	
850-48	Timber Creek Sawn Steps 4 ft	/ea
	Limestone, light gray to buff with light buff to white mottling, some quartz crystals. 8 steps/plt. Sawn top and bottom, split perimeter edges. 6in. x 16in. x 4ft long. Plt.Wt. 3600-4000 lbs.	

ltem#		Price
811-36	Timberland Sawn Steps 3 ft	/ton
	Gray, blue & buff tones. 10 steps/plt. Sawn & thermal top with sawn bottom, split perimeter edges. 6in. x 18in. x 3ft long. Apx.Plt.Wt. 4000 lbs.	
811-48	Timberland Sawn Steps 4 ft	/ton
	Gray, blue & buff tones. 8 steps/plt. Sawn & thermal top with sawn bottom, split perimeter edges. 6in. x 18in. x 4ft Iong. Apx.Plt.Wt. 4200 lbs.	
841-MC36	Wind River Natural Steps 3 ft	/ea
	Tan, pink, rust & dark brown in color. 10 steps/plt. Natural beds, split perimeter edges. 5in 7in. x 18in. x 3ft long. Plt.Wt. 3200-3500 lbs.	
841-MC48	Wind River Natural Steps 4 ft	/ea
	Tan, pink, rust & dark brown in color. 8 steps/plt. Natural beds, split perimeter edges. 5in 7in. x 18in. x 4ft long. Plt.Wt. 3400-4000 lbs.	
841-MC60	Wind River Natural Steps 5 ft	/ea
	Tan, pink, rust & dark brown in color. 6 steps/plt. Natural beds, split perimeter edges. 5in 7in. x 18in. x 5ft long. Plt.Wt. 3900-4500 lbs.	
802	Wisconsin Natural Slab Steps	/ton
	Light gray limestone irregular natural slab steps. Apx. 6in 8in. x 24in 32in. x 2.5ft - 5ft long. Plt.Wt. 3000-3500 lbs.	

ltem#		Price
1400-CB	Castle Buff Tread (12x72) 15 EA	/ea
	Light to dark buff, browns and tans. 2in. x 12in. x 6ft long. Chiseled front edge. Can be purchased by the piece. 15 pcs./plt.	
1400-CG	Castle Grey Tread (12x72) 15 EA	/ea
	Light to dark greys. 2in. x 12in. x 6ft long. Chiseled front edge. Can be purchased by the piece. 15 pcs./plt.	
S149TREAD12x36	Dove Gray Tread (12x36x2.25) 21 EA	/ea
S149TREAD12x48	Dove Gray Tread (12x48x2.25) 18 EA	/ea
S149TREAD14x36	Dove Gray Tread (14x36x2.25) 21 EA	/ea
S149TREAD14x48	Dove Gray Tread (14x48x2.25) 18 EA	/ea
	Light gray in color. Sawn top/bottom, machine cut all sides. Can be purchased by the piece. 12x36/1953lbs.,	
	12x48/2232lbs., 14x36/2278lbs., 14x48/2610lbs. per plt.	
S100TREAD12x36	Old River Tread (12x36x2.25) 21 EA	/ea
S100TREAD12x48	Old River Tread (12x48x2.25) 18 EA	/ea
S100TREAD14x36	Old River Tread (14x36x2.25) 21 EA	/ea
S100TREAD14x48	Old River Tread (14x48x2.25) 18 EA	/ea
	Dense blue-gray limestone. Sawn top/bottom, machine cut sides. Can be purchased by the piece.	
	12x36/1953lbs., 12x48/2232lbs., 14x36/2278lbs., 14x48/2610lbs. per plt.	
S139TREAD12x36	Weston Cream Tread (12x36x2.25) 21 EA	/ea
S139TREAD12x48	Weston Cream Tread (12x48x2.25) 18 EA	/ea
S139TREAD14x36	Weston Cream Tread (14x36x2.25) 21 EA	/ea
S139TREAD14x48	Weston Cream Tread (14x48x2.25) 18 EA	/ea
	Light buff, cream colored. Sawn top/bottom, machine cut all sides. Can be purchased by the piece.	
	12x36/1953lbs., 12x48/2232lbs., 14x36/2278lbs., 14x48/2610lbs. per plt.	

Item#		Price
S-147SLAB1	Brentwood Slab 1.25 inch - Unfinished	/sf
	Quartzite sandstone with the elegant look of detailed woodgrain. Great for countertops, outdoor kitchens, hearths, caps, sandblasted signs and more. Raw Slab (serialized)	
S-147SLAB2	Brentwood Slab 2 inch - Unfinished	/sf
	Quartzite sandstone with the elegant look of detailed woodgrain. Great for countertops, outdoor kitchens, hearths, caps, sandblasted signs and more. Raw Slab (serialized)	
S-143SLAB2.25	Brixton Buff Slab 2.25 inch - Unfinished	/lb
	Buff in color. Apx. 4ft. x 6ft. x 2.25in. thick	
S-100SLAB2.25F	Old River Slab - Finished	/sf
	Dense blue-gray limestone. Great for countertops, outdoor kitchens, hearths, caps, sandblasted signs &	
	more. Sizes: 2.25in. (6 cm) thickness x up to 30in. widths x 6ft. lengths. Finishes: Polished, Honed, Antique Brush, Bushhammer, Thermal. Edge Treatments: Machine Cut, Rock Face, Full Bullnose, Half Bullnose, Bevel, Ogee	
S-100SLAB2.25	Old River Slab - Unfinished	/sf
	Dense blue-gray limestone. Sizes: 2.25in. (6 cm) thickness x up to 30in. widths x 6ft. lengths. Sawn 2 sides. Raw Slab	
S-148SLAB2	Sooner Wheat Slab	/sf
	Light buff in color with varying slabs having some darker veining/movement. Size Range: Apx. 4ft. x 8ft. x 2in. Thick	
S-142SLAB2.25	Timberland Slabs 2.25 inch - Unfinished	/lb
	Gray hlup & huff tongs Size Range: Any Aft y 6ft y 2 25in Thick	

Gray, blue & buff tones. Size Range: Apx. 4ft. x 6ft. x 2.25in. Thick

Item#		Price
5072-MM	Bubbling Boulder Kit - Mossy Mountain w/ Iowa Rainbow Gravel	/e
5072-WL	Bubbling Boulder Kit - Weathered Limestone Boulder w/ Alabama Sunset Gravel	
	This easy to install natural stone water feature brings both beauty and a peaceful atmosphere to any patio,	
	garden or outdoor living space. The kit includes everything you need; one 46in. fountain basin, one predrilled	
	boulder, one 750 gph pump with 5ft. x 3/4in. inside diameter flex pipe, 8 - 1/2 cu.ft. bags of decorative gravel.	
FB4700	Basin - 47 inch Fountain Basin	100
	1,200 lb. weight capacity	/ea
4000-AS	Firepit - Autumn Sky	/e
4000-MB	Firepit - Mountain Bluff	
	Enjoy the warmth of an outdoor fire with the modern style of this firepit. The beautiful natural stone texture	
	complements any landscape and the dimensional shape means fast installation and no waste. Outside dim: 41-	
	43in. Inside dim: 24-26in. Overall Height: 13in. Blocks per row: 10/ea. An insert is recommended to keep heat	
	away from the stone. 1250 lbs.	
8098-3	Firepit Steel Ring	/ea
	Recommended for use in #4000-AS Autumn Sky & #4000-MB Mountain Buff Firepits. 29in. diam. 50 lbs.	
SAFG-2710	Firepit - Basalt Square	,
SAFG-2709	Firepit - Sunset Buff Square While Supplies Last	/e
	Natural Stone. Basalt/Charcoal in color. Sunset Buff/Buff in color. Outside Dimensions: 44in. wide x 44in. long.	
	Inside Dimensions: 28in. wide x 28in. long. Overall Height: 18in. An insert is recommended to keep the heat away	
	from the stone. 1990 lbs.	
SA-SRP	Firepit - Short Round	/ea
	42in. outside x 36in. inside diameter x 14in. tall 480 lbs.	
SAFL1717-6	Chimney Extensions - Large Flue	/ea
	6in. tall. Fits 36in 48in. Contractor Series. 100 lbs.	
SA-S1001	Firebrick Splits Buff - 9in x 4.5in x 1.5 Thick	/ea
	Splits, 9in. x 4.5in. x 1.25in. 4 lbs. 850 ea/pallet (plt qty as of 6/2019 888/ea)	
SA-24CN-STR	Fireplace - Contractor Series 24 inch w/ Straight Lintel	/ea
	Contractor Series kit includes firebox, three 6in. chimney sections, and instructions. Firebrick and Mortar sold	
	separately. 70 Firebrick required and 3 buckets of Mortar. Mortar quantity based on installation of firebrick and	
	veneer. 62sf. of surface, including 26lf. corners. 1540 lbs.	
SA-36CN	Fireplace - Contractor Series 36 inch w/ Arched Lintel	/ea
	Contractor Series kit includes firebox, three 6in. chimney sections, and instructions. Firebrick and Mortar sold	
	separately. 85 Firebrick required and 4 buckets of Mortar. Mortar quantity based on installation of firebrick and	
	veneer. 85sf. of surface, including 26lf. corners. 1760 lbs.	

Outdoor Living Section 13 - 1

ltem#		Price
SA-48CN	Fireplace - Contractor Series 48 inch w/ Arched Lintel	/ea
	Contractor Series kit includes firebox, three 6in. chimney sections, and instructions. Firebrick and Mortar sold	
	separately. 105 Firebrick required and 5 buckets of Mortar. Mortar quantity based on installation of firebrick and	
	veneer. 109sf. of surface, including 26lf. corners. 2120 lbs.	
SA36	Fireplace - Standard 36 inch w/Arched Lintel	/ea
	Standard kit includes firebox, 85 Firebrick, four 6in. chimney sections, base components, and instructions. Mortar	
	sold separately. 4 buckets Mortar needed to assemble kit and install firebrick. 100sf. of surface, including 32lf. of	
	corners. 2800 lbs.	
SA48	Fireplace - Standard 48 inch w/Arched Lintel	/ea
	Standard kit includes firebox, 105 firebrick to line firebox, four 6in. chimney sections, base components, and	
	instructions. Mortar sold separately. 5 buckets of Mortar needed to assemble kit and install firebrick. 125sf. of	
	surface, including 32 lf. of corners. 3100 lbs.	
SA3INL	Island - 3 foot Inline Section w/ Top	/ea
	Semco Outdoor Kitchen Kits are designed with a patented, modular, reinforced concrete panel and bracket	
	system, which assembles in minutes to create an exceptionally strong and durable, ready to finish foundation for	
	outdoor kitchens. The solid, uncut panel configuration allows complete freedom and flexibility of any appliance	
	layout. Islands come with tops and measure 33in. deep x 36in. tall. 560 lbs.	
SA30RDS-WT	Island - 30 Degree Radius w/ Top	/ea
	33in. deep x 36in. tall. 246 lbs.	
SA6STR-WT	Island - 6 foot Straight w/ Top	/ea
	33in. deep x 36in. tall. 1120 lbs.	,
SA6STR-WOT	Island 6 fact Straight w/o Tan	
540511-1001	Island - 6 foot Straight w/o Top	/ea
	33in. deep x 36in. tall. 1120 lbs.	
SA9L-WT	Island - 9 foot L w/ Top	/ea
	33in. deep x 36in. tall. 1860 lbs.	
SA9STR-WT	Island - 9 foot Straight w/ Top	/ea
	33in. deep x 36in. tall. 1500 lbs.	,
SA-BSWT	taland Desharlash 2 feet ou/ Den Ten	
54-05 00 1	Island - Backsplash 3 foot w/ Bar Top	/ea
	8in. tall with 6in. overhang. 75 lbs.	
SA-TC-3	Island - Column Kit	/ea
	36in. tall x 14in. wide. 176 lbs.	
SA-RDS-END-WT	Island - Radius End Cap w/ Top	/ea

ltem#		Price
SA-APO48	Pizza Oven - Amerigo	/ea
	Features an arched cooking chamber & over 1500sq.in. of cooking surface. Cooking surface measures 36in. deep	
	x 42in. wide. 2 buckets of mortar needed to assemble kit & install firebrick. Kit includes firebrick, 9in. chimney	
	flue & metal oven door. 35sf. of surface, including 14lf. of corners. 1650 lbs.	
SA-MPO36	Pizza Oven - Mezzo	/ea
	Features an arched cooking chamber with over 800sq.in. of cooking surface. Cooking surface measures 27in.	
	deep x 30in. wide. 1 bucket of mortar needed to assemble kit and install firebrick. Kit includes firebrick, 9in.	
	chimney flue and metal oven door. 25sf. of surface, including 14lf. of corners. 1150 lbs.	
SA-APRM	Ready-Mix Mortar	/ea
	High Temperature, Multi Purpose. 5 gal. bucket	/ea
	ngn remperature, man raipose. 5 gai. bucket	
SA-PCA-48	Storage Cabinet - Amerigo	/ea
	Pizza Oven cabinets create a solid base with plenty of storage. 48in. arched opening. 44in. tall with cooking	
	surface height of apx. 50in. 1120 lbs.	
SA-MCA-36	Storage Cabinet - Mezzo	/ea
	36in. arched opening. 44in. tall with cooking surface height of apx. 50in. 670 lbs.	
SA-WCA	Wood Storage Cabinet w/ Arched Opening	/ea
	36in. tall x 36in. wide x 33in. deep for Standard Fireplace. Side area 29sf., Top 9sf., Corner 12lf. 585 lbs.	
SA-WCS	Wood Storage Cabinet w/ Square Opening	/ea
	36in. tall x 36in. wide x 33in. deep for Standard Fireplace. Side area 29sf., Top 9sf., Corner 12lf. 585 lbs.	,
	Yard Bench	
S-147YBEN3.5F	Yard Bench - Brentwood 3.5 foot (Finished)	call for pricing
	Brentwood Benches are the perfect accent to your outdoor living space. Brentwood is a Quartzite Sandstone	
	with the elegant look of detailed woodgrain, which becomes even more stunning when finished. Finished top and	
	inside/outside legs. 40-42" long x 16" deep x 18.25" tall, 370 lbs.	
S-147YBEN3.5	Yard Bench - Brentwood 3.5 foot (Unpolished) Sawn top	/ea
	Sawn top. Apx. 370 lbs. per bench or 6 each per plt 2,220 lbs.	/ea
S-100YBEN3	Yard Bench - Old River 3 foot	/ea
S-100YBEN3	Yard Bench - Old River 3 foot Old River Bench 3ft. long x 18in. deep x 18in. tall. Thermal finish on bench top and sides of the legs. 500 lbs.	/ea
S-100YBEN3 S-100YBEN4		/ea /ea

Outdoor Living Section 13 - 3

ltem#		Price
1015	1in. Clean - Bagged	/bag
	1/2 cu.ft. bag, Size: 3/4 - 1in. Crushed aggregate. 60 bags/plt	
1015-B	1in. Clean - Bulk	/ton
1014	3/8in. Minus - Bagged	/bag
	1/2 cu.ft. bag, Size: fine material up to 3/8in. Crushed aggregate. 60 bags/plt	
1014-B	3/8in. Minus - Bulk	/ton
1010	Alabama Sunset - Bagged	/bag
	1/2 cu.ft. bag, Size: 3/4in. Color: tan, brown, white, burgundy. Naturally rounded pebbles. 60 bags/plt	
1010-В	Alabama Sunset - Bulk	/ton
1075	Black Granite - Bagged	/bag
	Size: 3/4 - 1in. Color: black granite. 60 bags/plt	
1075-В	Black Granite - Bulk	/ton
1008	Chicago Buff - Bagged	/bag
	1/2 cu.ft. bag, Size: 1in. Color: shades of beige & gray, smooth rounded pebble. 60 bags/plt	
1008-В	Chicago Buff - Bulk	/ton
1024	Duck Lake Pebbles - Bagged	/bag
	1/2 cu.ft. bag, Size: 1/2 - 3/4in. Color: Very colorful. Green, buff, blue & burgundy. 60 bags/plt	
1024-В	Duck Lake Pebbles - Bulk	/ton
1042-B	Duck Lake Large Pebbles - Bulk 3/4 - 1.5in.	/ton
1011	Iowa Rainbow - Bagged	/bag
	1/2 cu.ft. bag, Size: 1.5in. Color: gold, burgundy, blue & white. 60 bags/plt	
1011-B	Iowa Rainbow - Bulk	/ton
1012	Meramec B - Bagged	/bag
	1/2 cu.ft. bag, Size: 1 - 1.5in. Color: brown & tan river rock. 60 bags/plt	
1012-B	Meramec B - Bulk	/ton
1013	Meramec C - Bagged	/bag
	1/2 cu.ft. bag, Size: 3/4 - 1in. Color: brown & tan river rock. 60 bags/plt	
1013-В	Meramec C - Bulk	/ton
1003	Red Lava - Bagged	/bag
	1 cu.ft. bag, Size: 3/4 - 1.5in. Color: red lava nuggets, lightweight & porous. 60 bags/plt	
1003-В	Red Lava - Bulk	/ton
1029	Rio Grande - Bagged	/bag
	1/2 cu.ft. bag, Size: 1.5in. Color: medium pink to mauve. 60 bags/plt	
1029-В	Rio Grande - Bulk	/ton

ltem#		Price
1006	Semco Pea Pebbles - Bagged	/bag
	1/2 cu.ft. bag, Size: 3/8in. Color: brown, white & tan smooth pebbles. 60 bags/plt	
1006-В	Semco Pea Pebbles - Bulk	/ton
1016	Semco Sand - Bagged	/bag
	1/2 cu.ft. bag, Course & clean. Perfect filler sand. 60 bags/plt	
1016-В	Semco Sand - Bulk	/ton
1001-B1.5	Trap 1 1/2in Bulk	/ton
	Size: 1.5in. Color: bluish- purple & light gray	
1001	Trap 3/4in Bagged	/bag
	1/2 cu. ft. bag, Size: 3/4in. Color: bluish purple & light gray. 60 bags/plt	
1001-B3/4	Trap 3/4in Bulk	/ton
1031	Trap Fines - Bagged	/bag
	1/2 cu.ft. bag, Size: fine material up to 1/8 - 1/4in. Color: dark black very fine filler gravel. 60 bags/plt	
1031-В	Trap Fines - Bulk	/ton
1009	White Marble - Bagged	/bag
	1/2 cu.ft. bag, Size: 1- 1.5in. Color: brilliant white & gray crushed marble. 60 bags/plt	
1009-В	White Marble - Bulk	/ton

1 Ton of Gravel Spread 3" Deep will cover Approximately 100 SF 1 Ton of Lava Gravel Spread 3" Deep will cover Approximately 200 SF

Gravels Section 14 - 2

ltem#		Price
1106	Cedar Mulch 2 cf (75 Bags)	/bag
	100% Natural Cedar Bark. Light brown mulch.	
1106-B	Cedar Mulch - Bulk	/cy
1115	Colorized Mulch - BLACK TRIPLE GROUND Premium 2 cf (60 Bags)	/bag
	Fine in texture. Black colorant manufactured by BASF/ColorBiotics. Safety tested to protect children, pets and garden plants.	
1116-BL	Colorized Mulch - BLACK Premium Shredded Hardwood 2 cf (60 Bags)	/bag
	100% shredded hardwoods. Black.	
1116-BR	Colorized Mulch - BROWN Premium Shredded Hardwood 2 cf (60 Bags)	/bag
	100% shredded hardwoods. Chocolate Brown.	
1116-R	Colorized Mulch - RED Premium Shredded Hardwood 2 cf (60 Bags)	/bag
	100% shredded hardwoods. Rich Red.	
1103	Cypress Mulch 2 cf (75 Bags)	/bag
	100% Cypress Bark. Golden- orange mulch.	
1101-В	Hardwood Mulch - Premium Shredded (Bulk)	/yd
	100% shredded hardwoods. Brown.	
1102	Hardwood Mulch - Premium Shredded 2 cf (60 Bags)	/bag
	100% shredded hardwoods. Brown.	
1101	Hardwood Mulch - Premium Shredded 3 cf (45 Bags)	/bag
	100% shredded hardwoods. Brown.	
1123	Cotton Blossom Compost 1 cf (60 Bags)	/bag
	Increases beneficial organisms within the soil. Excellent all-natural soil conditioner & compost. Contains papermill fines, saw dust, cotton gin remnants. No chemicals.	
1153	Jolly Gardener Potting Soil 1 cf (65 Bags)	/bag
	A complete, balanced growing media. For indoor & outdoor use. Especially good for use in window boxes, potted plants & containerized gardens. pH balanced. 40 lb. bag	
1150	Timberline Top Soil 1 cf (65 Bags)	
	Excellent for lawn care, spreads easily for patching bare spots, topdressing or new installations. Provides a good	/bag
	growing media which will need fertilization once lawn is established. 40 lb. bag	

Mulch & Soil Section 15 - 1

tem#		Price
546	Bavarian Tumbled Paver - Large Square	/sf
	6 cm 8.25in. x 8.25in., 180 pcs/plt, 87 sq.ft./plt. *Stock Colors: Cedar Creek Red- CCR, Driftwood-DW, Lakeshore-	
	LS. Special Order Colors (Please allow 1-2 weeks for delivery): Granite Blend-GB, Indian Creek-IC. Additional Charge	
	Color - Alleghany Slate-AS. 2300 lbs per plt. *Stock	
545	Bavarian Tumbled Paver - Rectangle	/sf
	6 cm 8.25in. x 5.5in., 270 pcs/plt, 87 sq.ft./plt. *Stock Colors: Cedar Creek Red- CCR, Driftwood-DW, Lakeshore-LS.	
	Special Order Colors (Please allow 1-2 weeks for delivery): Granite Blend-GB, Indian Creek-IC. Additional Charge	
	Color - Alleghany Slate-AS. 2300 lbs per plt. *Stock	
547	Bavarian Tumbled Paver - Small Square	/sf
	6 cm 5.5in. x 5.5in., 432 pcs/plt, 91 sq.ft./plt. *Stock Colors: Cedar Creek Red- CCR, Driftwood-DW, Lakeshore-LS.	
	Special Order Colors (Please allow 1-2 weeks for delivery): Granite Blend-GB, Indian Creek-IC. Additional Charge	
	Color - Alleghany Slate-AS. 2440 lbs per plt. *Stock	
3518	Dutch Cobble Paver - Large Square	/sf
	6cm. 8.25in. x 8.25in. 180 pcs/plt. 87 sq.ft./plt. *Stock Colors: Cedar Creek Red-CCR, Lakeshore Blend-LS. Special	
	Order Colors (Please allow 1-2 weeks for delivery): Autumn Blend-AB, Charcoal-C, Desert Buff-DB, Driftwood-DW,	
	Granite Blend-GB, Indian Creek-IC. Additional Charge colors: Allegheny Slate-AS, Multi-Slate-MS. 2320 lbs per plt.	
	*Stock	
3513	Dutch Cobble Paver - Rectangle	/sf
	6 cm. 8.25in. x 5.5in., 3.1 stones per sf, 87 sq.ft./plt. *Stock Colors: Cedar Creek Red-CCR, Lakeshore Blend- LS.	
	Special Order Colors (Please allow 1-2 weeks for delivery): Autumn Blend-AB, Brown-BRN, Buff-B, Cedar Creek	
	Brown-CCB, Charcoal- C, Desert Blend-DB, Driftwood-DW, Granite Blend-GB, Indian Creek-IC. Additional Charge	
	Colors: Alleghany Slate-AS, Multi- Slate-MS. 2600 lbs per plt. *Stock	
3514	Dutch Cobble Paver - Small Square	/sf
	6 cm. 5.5in. x 5.5in., 4.75 stones per sf, 91 sq.ft./plt. *Stock Colors: Cedar Creek Red-CCR, Lakeshore Blend- LS.	
	Special Order Colors (Please allow 1-2 weeks for delivery): Autumn Blend-AB, Brown-BRN, Buff-B, Cedar Creek	
	Brown-CCB, Charcoal- C, Desert Blend-DB, Driftwood-DW, Granite Blend-GB, Indian Creek-IC. Additional Charge Colors: Alleghany Slate-AS, Multi- Slate-MS. 2700 lbs per plt. *Stock	
	Colors. Allegnany slate-AS, Multi- slate-MS. 2700 bs per pit. Stock	
3504	Mission 1 Paver	/sf
	3.875in. x 7.75in. 103 sq.ft./plt. *Stock Colors: Buff- B, Charcoal-C. Special Order Colors (Please allow 1-2 weeks	
	for delivery): Autumn Bld-AB, Brown-BRN, Cedar Creek Brown-CCB, Cedar Creek Red-CCR, Desert Bld- DB,	
	Dominion Bld-DOB, Driftwood Bld-DW,Gray-GR, Granite Bld-GB, Harvest Blend-H, Indian Creek-IC, Lakeshore Bld- LS, Orchard Bld-OB, Red #1-R1, Red #2- R2, Redwood Bld-RW, Sandstone Bld-SB, St. Clair Bld-SCB. Additional	
	Charge Colors: Alleghany Slate-AS, Multi-Slate-MS. 2900 lbs per plt. *Stock	
3609	Roman Tumbled Paver - Jumbo Rectangle	/sf
	7cm, 14.625in. x 8.75in., 96 pcs/plt, 86 sq.ft./plt. *Stock Colors: Driftwood-DW, River Rock- RR, Special Order	,
	Colors (Please allow 1-2 weeks for delivery): Granite Blend-GB, Indian Creek-IC, Prairie-P. Additional Charge Color:	
	Allegheny Slate-AS. 2740 lbs per plt. *Stock	
3608	Roman Tumbled Paver - Large Rectangle	/sf
	7cm, 11.687in. x 5.812in., 192 pcs/plt, 93 sq.ft./plt. *Stock Colors: Driftwood-DW, River Rock-RR. Special Order	
	Colors (Please allow 1-2 weeks for delivery): Granite Blend-GB, Indian Creek-IC, Prairie-P, Additional Charge Color:	
	Allegheny Slate-AS. 2960 lbs per plt. *Stock	

\$15.00 Deposit for Hessit Pallets, Refunded when Returned

ltem#		Price
3607	Roman Tumbled Paver - Large Square	/sf
	7 cm, 11.687in. x 11.687in., 96 pcs/plt, 93 sq.ft./plt. *Stock Colors: Driftwood-DW, River Rock-RR. Special Order Colors (Please allow 1-2 weeks for delivery): Granite Blend-GB, Indian Creek-IC, Prairie-P, Additional Charge Color: Allegheny Slate-AS. 2960 lbs per plt. *Stock	
3606	Roman Tumbled Paver - Small Square	/sf
	7cm, 5.812in. x 5.812in., 384 pcs/plt, 93 sq.ft./plt. *Stock Colors: Driftwood-DW, River Rock-RR, Special Order Colors (Please allow 1-2 weeks for delivery): Granite Blend-GB, Indian Creek-IC, Prairie-P Additional Charge for Allegheny Slate-AS. 2960 lbs per plt. *Stock	
	\$15.00 Deposit for Hessit Pallets, Refunded when Returned	
	Anchor Retaining Wall	
2005	Diamond Pro Wall - Straight	/ea Gray
	8in. H x 18in. L x 12in. D, 1in. setback, each block = 1 sq.ft. 36 ea/plt. Diamond Pro Color Chart: *Gray-G, Solids: Tan- T. Blends: Rosestone-RB. 2900 lbs per plt. *Stock	/ea Solid
2013	Hampton 3-Way	/ea Gray
	6in H x 15 5/8in L x 10in D, 31.75 sq.ft./plt. 48 ea/plt. Hampton 3- Way Color Chart: *Gray-G, Solids: Chocolate-C, *Tan-T. 2650 lbs per plt. *Stock	/ea Solid
2014	Hampton Straight	/ea Gray
	6in H x 17 1/4in L x 10in D, 34.5 sq.ft./plt. 48 ea/plt. Hampton Straight Color Chart: *Gray- G, Solids: Chocolate-C, *Tan- T. 2900 lbs per plt. *Stock	/ea Solid
2011	Universal Cap - Diamond Pro, Hampton, Highland	/ea Gray
	4in. H x 15 5/8in. L x 12in. D, 78.125 In.ft./plt. 60 ea/plt. Cap Color Chart for Diamond Pro, Hampton, Highland: *Gray-G, Solids: Chocolate- CH, Red-R, *Tan-T, Blends: Desert Rose-DR, Fieldstone/Oakstone-TB, Pecan-PC, Pewter-GB, Rosestone-RB. 4000 lbs per plt. *Stock	/ea Solid
		/ea Blend
2012	Universal Step - Hampton, Highland	/ea Gray
	6in. H x 16in. L x 12in. D, 36 ea/plt. Step Color Chart for Hampton, Highland: *Gray-G, Solids: Chocolate-CH, Red-R, *Tan- T, Blends: Desert Rose-DR, *Fieldstone/Oakstone-TB, Hickory-H, *Pecan-PC, *Pewter-PB, *Rosestone-RB. 3350 lbs per plt. *Stock	/ea Solid
		/ea Blend
2096-A	Windsor & Aspen Caps	/ea
	2 3/8in. H x 12in. L x 7 1/2in. D, 160 ea/plt. Cap Color Chart for Windsor & Aspen: *Gray-G, Solids: *Chocolate-CH, Red- R, *Tan-T, Blends: *Fieldstone/Oakstone-O, Pecan-PC, Pewter-PB, Rosestone-RB. 2240 lbs per plt. *Stock	
2008	Windsor Wall	/ea Gray
	4in. H x 11 5/8in. L x 7in. D, 3/4in. setback, 31 sq.ft./plt. 120 ea/plt. Windsor Color Chart: *Gray-G, Solids: *Chocolate- CH, Red-R, *Tan-T, Blends: *Fieldstone-TB, *Rosestone- RB. 2600 lbs per plt. *Stock	/ea Solid

\$23.00 Deposit for Anchor Pallets, Refunded when Returned

Hessit Pavers / Anchor Retaining Wall Section 16 - 2

ltem#		Price
3566-В	Evolution Polymeric Sand (Beige)	/ea
3566-BL	Evolution Polymeric Sand (Black)	/ea
3566-G	Evolution Polymeric Sand (Gray)	/ea
	Polymeric Sand from Sable Marco is a specially formulated high performance mix of graded sand and binding agent to fill paver and natural stone joints. It will remain stable and flexible and maintain its flexibility and durability in the most extreme weather conditions. Maximum width of joints 4in., minimum depth of sand 2 3/8in., minimum wetting depth 1in., 50 lb bag. 63 ea/pallet. Use the project calculator to calculate your project www.sablemarco.com.	
AP 10	SRW Adhesive - 10 OZ	/ea
A 28	SRW Adhesive - 28 OZ	/ea
	Superior strength and longevity - Works on wet or frozen surfaces - Extrudes down to 10 F. Will not freeze - Permanent bond - Solvent- based - Interior/exterior use. Applications: Concrete, Retaining Walls, Pavers, Firepits, Natural Stone, Metals, Wood. Coverage: Bead Size 1/4in. (10oz) 32 ft. (28oz) 89 ft. Bead Size 3/8in. (10oz) 14 ft. (28oz) 35 ft. 12 tubes/case.	
AVIL 10	SRW Vertical Instant Lock Adhesive - 10 OZ	/ea
	Instantly bonds heavy building materials like manufactured stone, natural stone, brick and pavers vertically without sagging or slipping. Strength to hold 25 lbs. with most materials up to 2" thick. Compatible up to 200°F. Indoor/Outdoor, Low Odor. VOC Compliant. 12 tubes/case.	
SSCG CTN QT4	SRW CG Counter Guard Sealer - 1 QT	/ea
	Solvent-based Creates an invisible barrier of defense for outdoor countertops, benches and other work surfaces. Protects surfaces from staining by water, oils, grease, wine, coffee, food and more. Recommended Surfaces: Concrete, wet-cast, granite, bluestone, sandstone and polished and thermaled surfaces. 50-75 sf per quart. Not for use on limestone, marble, structures under hydrostatic pressure.	
171347	Tenax Ager Tiger Color Enhancer - 8 OZ	/ea
171247	Tenax Ager Tiger Color Enhancer - 1 QT	/ea
	Excellent on exotic stone. Suitable for aging marbles, travertines, stones, granites and agglomerates when the	

Excellent on exotic stone. Suitable for aging marbles, travertines, stones, granites and agglomerates when the surface is very porous. Seals against oil and household stains. Provides an excellent wet effect stone enhancement.

PAR-40Pump 4950 gph Atlantic Tidal Wave/eaPAF-40Pump 5950 gph Atlantic Tidal Wave/eaPAF-75Pump 5950 gph Atlantic Tidal Wave/ea2 yr. limited warranty from date of wholesale purchase on Tidal Wave Pumps./eaGSRW 3450GeoGrid Series 3 (4 X 50) 22.22 Sq.Yds/Roll/eaGSRW 3615GeoGrid Series 3 (6 x 150) 100 Sq.Yds/Roll/eaBi-Directional Geogrid: used for soil reinforcement applications such as retaining walls up to 10ft., steep slopes, soft soils under embankment, sub-grade stabilization and waste containment/landfill applications. LTDS 1093/eaFNW4 04300SRW Landscape Fabric - NW4 (4 x 300) 4 oz. Non-Woven needle punched: drainage and filtration. 133.33 sq.yds/roll/eaFNW6 06300SRW Landscape Fabric - NW6 (6 x 300) 6 oz. Non-Woven needle punched: drainage and filtration. 200 sq.yds/roll/eaFPP1V 04050SRW Landscape Fabric - ProPlus IV (4 x 50) Tips: For best weed control/soil stabilization, install fabric with the fuzzy side facing the ground. Install fuzzy side up for mulch stabilization. 22.22 sq.yds/roll/eaFPPV 05250SRW Landscape Fabric - ProPlus V (5 x 250) 5 oz. Woven/Non Woven. 25 yr. weed barrier. 138.88 sq.yds/roll/ea1244Steel Fabric Stick Pins 500/cs/cs	ltem#		Price
MD1000 Pump 1000 Gph Tidal Wave Mag Drive /ea 2 yr. limited warranty from date of end-consumer purchase on Mag-Drive Pumps. /ea PAF-20 Pump 2800 gph Atlantic Tidal Wave /ea PAF-40 Pump 4950 gph Atlantic Tidal Wave /ea PAF-75 Pump 5950 gph Atlantic Tidal Wave /ea 2 yr. limited warranty from date of wholesale purchase on Tidal Wave Pumps. /ea GSRW 3450 GeoGrid Series 3 (4 X 50) 22.22 Sq.Yds/Roll /ea GSRW 3615 GeoGrid Series 3 (6 x 150) 100 Sq.Yds/Roll /ea Bi-Directional Geogrid: used for soil reinforcement applications such as retaining walls up to 10ft., steep slopes, soft soils under embankment, sub-grade stabilization and waste containment/landfill applications. LTDS 1093 /ea FNW4 04300 SRW Landscape Fabric - NW4 (4 x 300) /ea 4 oz. Non-Woven needle punched: drainage and filtration. 200 sq.yds/roll /ea FPP1V 04050 SRW Landscape Fabric - ProPlus IV (4 x 50) /ea 4 oz. Woven/Non Woven, 20 yr. weed barrier: landscape beds, gardens, decks, patios, sidewalks. ProPlus V Tips: For bas weed control/soil stabilization, install fabric with the fuzzy side facing the ground. Install fuzzy side up for mulch stabilization. 22.22 sq.yds/roll /ea FPPV 05250 SRW Landscape Fabric - ProPlus V (5 x 250) /ea	**KF.75100	Flex Hose - 3/4 x 100 Kink Free	/If
MD1000 Pump 1000 Gph Tidal Wave Mag Drive /ea 2 yr. limited warranty from date of end-consumer purchase on Mag-Drive Pumps. /ea PAF-20 Pump 2800 gph Atlantic Tidal Wave /ea PAF-40 Pump 4950 gph Atlantic Tidal Wave /ea PAF-75 Pump 5950 gph Atlantic Tidal Wave /ea 2 yr. limited warranty from date of wholesale purchase on Tidal Wave Pumps. /ea GSRW 3450 GeoGrid Series 3 (4 X 50) 22.22 Sq.Yds/Roll /ea GSRW 3615 GeoGrid Series 3 (6 x 150) 100 Sq.Yds/Roll /ea Bi-Directional Geogrid: used for soil reinforcement applications such as retaining walls up to 10ft., steep slopes, soft soils under embankment, sub-grade stabilization and waste containment/landfill applications. LTDS 1093 /ea FNW4 04300 SRW Landscape Fabric - NW4 (4 x 300) /ea 4 oz. Non-Woven needle punched: drainage and filtration. 200 sq.yds/roll /ea FPP1V 04050 SRW Landscape Fabric - ProPlus IV (4 x 50) /ea 4 oz. Woven/Non Woven, 20 yr. weed barrier: landscape beds, gardens, decks, patios, sidewalks. ProPlus V Tips: For bas weed control/soil stabilization, install fabric with the fuzzy side facing the ground. Install fuzzy side up for mulch stabilization. 22.22 sq.yds/roll /ea FPPV 05250 SRW Landscape Fabric - ProPlus V (5 x 250) /ea	140750		
2 yr. limited warranty from date of end-consumer purchase on Mag-Drive Pumps. 2 PAF-20 Pump 2800 gph Atlantic Tidal Wave /ea PAF-40 Pump 4950 gph Atlantic Tidal Wave /ea PAF-75 Pump 5950 gph Atlantic Tidal Wave /ea 2 yr. limited warranty from date of wholesale purchase on Tidal Wave Pumps. (ea 2 yr. limited warranty from date of wholesale purchase on Tidal Wave Pumps. (ea GSRW 3450 GeoGrid Series 3 (4 X 50) 22.22 Sq.Yds/Roll /ea GSRW 3615 GeoGrid Series 3 (6 x 150) 100 Sq.Yds/Roll /ea Bi-Directional Geogrid: used for solir einforcement applications such as retaining walls up to 10ft., steep slopes, soft soils under embankment, sub-grade stabilization and waste containment/landfill applications. LTDS 1093 /ea FNW4 04300 SRW Landscape Fabric - NW4 (4 x 300) /ea 4 oz. Non-Woven needle punched: drainage and filtration. 133.33 sq.yds/roll /ea FPP1V 04050 SRW Landscape Fabric - NW6 (6 x 300) /ea 4 oz. Woven/Non Woven, 20 yr. weed barrier: landscape beds, gardens, decks, patios, sidewalks. ProPlus V /ea 4 oz. Woven/Non Woven, 20 yr. weed barrier: landscape beds, gardens, decks, patios, sidewalks. ProPlus V /ea 4 oz. Woven/Non Woven, 20 yr. weed barrier: landscape beds, gardens, decks, patios, sidewalks. ProPlus			/ea
PAF-20 Pump 2800 gph Atlantic Tidal Wave /ea PAF-40 Pump 4950 gph Atlantic Tidal Wave /ea PAF-75 Pump 5950 gph Atlantic Tidal Wave /ea 2 yr. limited warranty from date of wholesale purchase on Tidal Wave Pumps. /ea GSRW 3450 GeoGrid Series 3 (4 X 50) 22.22 Sq.Yds/Roll /ea GSRW 3615 GeoGrid Series 3 (6 x 150) 100 Sq.Yds/Roll /ea GSRW 365 GeoGrid Series 3 (6 x 50) 33.33 Sq.Yds/Roll /ea Bi-Directional Geogrid: used for soil reinforcement applications such as retaining walls up to 10ft., steep slopes, soft soils under embankment, sub-grade stabilization and waste containment/landfill applications. LTDS 1093 /ea FNW4 04300 SRW Landscape Fabric - NW4 (4 x 300) /ea 4 oz. Non-Woven needle punched: drainage and filtration. 133.33 sq.yds/roll /ea FNW6 06300 SRW Landscape Fabric - ProPlus IV (4 x 50) /ea 4 oz. Woven/Non Woven, 20 yr. weed barrier: landscape beds, gardens, decks, patios, sidewalks. ProPlus V Tips: For best weed control/soil stabilization, install fabric with the fuzzy side facing the ground. Install fuzzy side up for mulch stabilization. 22.22 sq.yds/roll /ea FPP1V 05250 SRW Landscape Fabric - ProPlus V (5 x 250) /ea 5 oz. Woven/Non Woven. 25 yr. weed barrier. 138.88 sq.yds/roll /ea <t< td=""><td>MD1000</td><td></td><td>/ea</td></t<>	MD1000		/ea
PAR-40Pump 4950 gph Atlantic Tidal Wave/eaPAF-40Pump 5950 gph Atlantic Tidal Wave/eaPAF-75Pump 5950 gph Atlantic Tidal Wave/ea2 yr. limited warranty from date of wholesale purchase on Tidal Wave Pumps./eaGSRW 3450GeoGrid Series 3 (4 X 50) 22.22 Sq.Yds/Roll/eaGSRW 3615GeoGrid Series 3 (6 x 150) 100 Sq.Yds/Roll/eaBi-Directional Geogrid: used for soil reinforcement applications such as retaining walls up to 10ft., steep slopes, soft soils under embankment, sub-grade stabilization and waste containment/landfill applications. LTDS 1093/eaFNW4 04300SRW Landscape Fabric - NW4 (4 x 300) 4 oz. Non-Woven needle punched: drainage and filtration. 133.33 sq.yds/roll/eaFNW6 06300SRW Landscape Fabric - NW6 (6 x 300)/ea6 oz. Non-Woven needle punched: drainage and filtration. 200 sq.yds/roll/eaFPP1V 04050SRW Landscape Fabric - ProPlus IV (4 x 50) Tips: For best weed control/soil stabilization, install fabric with the fuzzy side facing the ground. Install fuzzy side up for mulch stabilization. 22.22 sq.yds/roll/eaFPPV 05250SRW Landscape Fabric - ProPlus V (5 x 250) S oz. Woven/Non Woven. 25 yr. weed barrier. 138.88 sq.yds/roll/ea1244Steel Fabric Stick Pins 500/cs/cs		2 yr. limited warranty from date of end-consumer purchase on Mag-Drive Pumps.	
PAF-75 Pump 5950 gph Atlantic Tidal Wave /ea 2 yr. limited warranty from date of wholesale purchase on Tidal Wave Pumps. /ea GSRW 3450 GeoGrid Series 3 (4 X 50) 22.22 Sq.Yds/Roll /ea GSRW 3615 GeoGrid Series 3 (6 x 150) 100 Sq.Yds/Roll /ea GSRW 365 GeoGrid Series 3 (6 x 50) 33.33 Sq.Yds/Roll /ea Bi-Directional Geogrid: used for soil reinforcement applications such as retaining walls up to 10ft., steep slopes, soft soils under embankment, sub-grade stabilization and waste containment/landfill applications. LTDS 1093 /ea FNW4 04300 SRW Landscape Fabric - NW4 (4 x 300) /ea 4 oz. Non-Woven needle punched: drainage and filtration. 133.33 sq.yds/roll /ea FNW6 06300 SRW Landscape Fabric - NW6 (6 x 300) /ea 6 oz. Non-Woven needle punched: drainage and filtration. 200 sq.yds/roll /ea FPP1V 04050 SRW Landscape Fabric - ProPlus IV (4 x 50) /ea 4 oz. Woven/Non Woven, 20 yr. weed barrier: landscape beds, gardens, decks, patios, sidewalks. ProPlus V /ea 4 oz. Woven/Non Woven, 22 yr. weed barrier: landscape beds, gardens, decks, patios, sidewalks. ProPlus V /ea FPP1V 05250 SRW Landscape Fabric - ProPlus V (5 x 250) /ea 5 oz. Woven/Non Woven. 25 yr. weed barrier. 138.88 sq.yds/roll /ea	PAF-20	Pump 2800 gph Atlantic Tidal Wave	/ea
PAF-75 Pump 5950 gph Atlantic Tidal Wave /ea 2 yr. limited warranty from date of wholesale purchase on Tidal Wave Pumps. /ea GSRW 3450 GeoGrid Series 3 (4 X 50) 22.22 Sq.Yds/Roll /ea GSRW 3615 GeoGrid Series 3 (6 x 150) 100 Sq.Yds/Roll /ea Bi-Directional Geogrid: used for soil reinforcement applications such as retaining walls up to 10ft., steep slopes, soft soils under embankment, sub-grade stabilization and waste containment/landfill applications. LTDS 1093 /ea FNW4 04300 SRW Landscape Fabric - NW4 (4 x 300) /ea 4 oz. Non-Woven needle punched: drainage and filtration. 133.33 sq.yds/roll /ea FNW6 06300 SRW Landscape Fabric - NW6 (6 x 300) /ea 6 oz. Non-Woven needle punched: drainage and filtration. 200 sq.yds/roll /ea FPP1V 04050 SRW Landscape Fabric - ProPlus IV (4 x 50) /ea 4 oz. Non-Woven needle punched: drainage and filtration. 200 sq.yds/roll /ea FPP1V 04050 SRW Landscape Fabric - ProPlus IV (4 x 50) /ea 4 oz. Woven/Non Woven, 20 yr. weed barrier: landscape beds, gardens, decks, patios, sidewalks. ProPlus V Tips: For best weed control/soil stabilization, install fabric with the fuzzy side facing the ground. Install fuzzy side up for mulch stabilization. 22.22 sq.yds/roll /ea FPPV 05250 SRW Landscape Fabric - ProPlus V	PAF-40	Pump 4950 gph Atlantic Tidal Wave	/ea
2 yr. limited warranty from date of wholesale purchase on Tidal Wave Pumps. GSRW 3450 GeoGrid Series 3 (4 X 50) 22.22 Sq.Yds/Roll /ea GSRW 3615 GeoGrid Series 3 (6 x 150) 100 Sq.Yds/Roll /ea GSRW 365 GeoGrid Series 3 (6 x 50) 33.33 Sq.Yds/Roll /ea Bi-Directional Geogrid: used for soil reinforcement applications such as retaining walls up to 10ft., steep slopes, soft soils under embankment, sub-grade stabilization and waste containment/landfill applications. LTDS 1093 /ea FNW4 04300 SRW Landscape Fabric - NW4 (4 x 300) /ea 4 oz. Non-Woven needle punched: drainage and filtration. 133.33 sq.yds/roll /ea FNW6 06300 SRW Landscape Fabric - NW6 (6 x 300) /ea 6 oz. Non-Woven needle punched: drainage and filtration. 200 sq.yds/roll /ea 4 oz. Non-Woven needle punched: drainage and filtration. 200 sq.yds/roll /ea FPP1V 04050 SRW Landscape Fabric - ProPlus IV (4 x 50) /ea 4 oz. Woven/Non Woven, 20 yr. weed barrier: landscape beds, gardens, decks, patios, sidewalks. ProPlus V Tips: For best weed control/soil stabilization, install fabric with the fuzzy side facing the ground. Install fuzzy side up for mulch stabilization. 22.22 sq.yds/roll /ea FPPV 05250 SRW Landscape Fabric - ProPlus V (5 x 250) /ea 5 oz. Woven/Non Woven. 25 yr. weed barrier. 138.88 sq.yds/roll <td>PAF-75</td> <td></td> <td>/ea</td>	PAF-75		/ea
GSRW 3615 GeoGrid Series 3 (6 x 150) 100 Sq.Yds/Roll /ea GSRW 365 GeoGrid Series 3 (6 x 50) 33.33 Sq.Yds/Roll /ea Bi-Directional Geogrid: used for soil reinforcement applications such as retaining walls up to 10ft., steep slopes, soft soils under embankment, sub-grade stabilization and waste containment/landfill applications. LTDS 1093 /ea FNW4 04300 SRW Landscape Fabric - NW4 (4 x 300) /ea 4 oz. Non-Woven needle punched: drainage and filtration. 133.33 sq.yds/roll /ea FNW6 06300 SRW Landscape Fabric - NW6 (6 x 300) /ea 6 oz. Non-Woven needle punched: drainage and filtration. 200 sq.yds/roll /ea FPP1V 04050 SRW Landscape Fabric - ProPlus IV (4 x 50) /ea 4 oz. Woven/Non Woven, 20 yr. weed barrier: landscape beds, gardens, decks, patios, sidewalks. ProPlus V /rise; For best weed control/soil stabilization, install fabric with the fuzzy side facing the ground. Install fuzzy side up for mulch stabilization. 22.22 sq.yds/roll /ea FPPV 05250 SRW Landscape Fabric - ProPlus V (5 x 250) /ea 5 oz. Woven/Non Woven. 25 yr. weed barrier. 138.88 sq.yds/roll /ea 1244 Steel Fabric Stick Pins 500/cs /cs			
GSRW 3615 GeoGrid Series 3 (6 x 150) 100 Sq.Yds/Roll /ea GSRW 365 GeoGrid Series 3 (6 x 50) 33.33 Sq.Yds/Roll /ea Bi-Directional Geogrid: used for soil reinforcement applications such as retaining walls up to 10ft., steep slopes, soft soils under embankment, sub-grade stabilization and waste containment/landfill applications. LTDS 1093 /ea FNW4 04300 SRW Landscape Fabric - NW4 (4 x 300) /ea 4 oz. Non-Woven needle punched: drainage and filtration. 133.33 sq.yds/roll /ea FNW6 06300 SRW Landscape Fabric - NW6 (6 x 300) /ea 6 oz. Non-Woven needle punched: drainage and filtration. 200 sq.yds/roll /ea FPP1V 04050 SRW Landscape Fabric - ProPlus IV (4 x 50) /ea 4 oz. Woven/Non Woven, 20 yr. weed barrier: landscape beds, gardens, decks, patios, sidewalks. ProPlus V /rise; For best weed control/soil stabilization, install fabric with the fuzzy side facing the ground. Install fuzzy side up for mulch stabilization. 22.22 sq.yds/roll /ea FPPV 05250 SRW Landscape Fabric - ProPlus V (5 x 250) /ea 5 oz. Woven/Non Woven. 25 yr. weed barrier. 138.88 sq.yds/roll /ea 1244 Steel Fabric Stick Pins 500/cs /cs	GSRW 3450	GeoGrid Series 3 (4 X 50) 22 22 Sa Vds/Roll	/ea
GSRW 365 GeoGrid Series 3 (6 x 50) 33.33 Sq.Yds/Roll /ea Bi-Directional Geogrid: used for soil reinforcement applications such as retaining walls up to 10ft., steep slopes, soft soils under embankment, sub-grade stabilization and waste containment/landfill applications. LTDS 1093 FNW4 04300 SRW Landscape Fabric - NW4 (4 x 300) /ea 4 oz. Non-Woven needle punched: drainage and filtration. 133.33 sq.yds/roll /ea FNW6 06300 SRW Landscape Fabric - NW6 (6 x 300) /ea 6 oz. Non-Woven needle punched: drainage and filtration. 200 sq.yds/roll /ea FPP1V 04050 SRW Landscape Fabric - ProPlus IV (4 x 50) /ea 4 oz. Woven/Non Woven, 20 yr. weed barrier: landscape beds, gardens, decks, patios, sidewalks. ProPlus V /ea 4 oz. Woven/Non Woven, 20 yr. weed barrier: landscape beds, gardens, decks, patios, sidewalks. ProPlus V /ea FPPV 05250 SRW Landscape Fabric - ProPlus V (5 x 250) /ea 5 oz. Woven/Non Woven. 25 yr. weed barrier. 138.88 sq.yds/roll /ea 1244 Steel Fabric Stick Pins 500/cs /cs	GSRW 3615	· · · ·	•
Bi-Directional Geogrid: used for soil reinforcement applications such as retaining walls up to 10ft., steep slopes, soft soils under embankment, sub-grade stabilization and waste containment/landfill applications. LTDS 1093 SRW Landscape Fabric - NW4 (4 x 300) /ea 4 oz. Non-Woven needle punched: drainage and filtration. 133.33 sq.yds/roll /ea FNW6 06300 SRW Landscape Fabric - NW6 (6 x 300) /ea 6 oz. Non-Woven needle punched: drainage and filtration. 200 sq.yds/roll /ea FPP1V 04050 SRW Landscape Fabric - ProPlus IV (4 x 50) /ea 4 oz. Woven/Non Woven, 20 yr. weed barrier: landscape beds, gardens, decks, patios, sidewalks. ProPlus V Tips: For best weed control/soil stabilization, install fabric with the fuzzy side facing the ground. Install fuzzy side up for mulch stabilization. 22.22 sq.yds/roll /ea FPPV 05250 SRW Landscape Fabric - ProPlus V (5 x 250) /ea 5 oz. Woven/Non Woven. 25 yr. weed barrier. 138.88 sq.yds/roll /ea 1244 Steel Fabric Stick Pins 500/cs /cs			
slopes, soft soils under embankment, sub-grade stabilization and waste containment/landfill applications. LTDS 1093 FNW4 04300 SRW Landscape Fabric - NW4 (4 x 300) /ea 4 oz. Non-Woven needle punched: drainage and filtration. 133.33 sq.yds/roll /ea FNW6 06300 SRW Landscape Fabric - NW6 (6 x 300) /ea 6 oz. Non-Woven needle punched: drainage and filtration. 200 sq.yds/roll /ea FPP1V 04050 SRW Landscape Fabric - ProPlus IV (4 x 50) /ea 4 oz. Woven/Non Woven, 20 yr. weed barrier: landscape beds, gardens, decks, patios, sidewalks. ProPlus V Tips: For best weed control/soil stabilization, install fabric with the fuzzy side facing the ground. Install fuzzy side up for mulch stabilization. 22.22 sq.yds/roll /ea FPPV 05250 SRW Landscape Fabric - ProPlus V (5 x 250) /ea 5 oz. Woven/Non Woven. 25 yr. weed barrier. 138.88 sq.yds/roll /ea 1244 Steel Fabric Stick Pins 500/cs /cs	03/100 303		/ea
A oz. Non-Woven needle punched: drainage and filtration. 133.33 sq.yds/roll /ca FNW6 06300 SRW Landscape Fabric - NW6 (6 x 300) /ea 6 oz. Non-Woven needle punched: drainage and filtration. 200 sq.yds/roll /ea FPP1V 04050 SRW Landscape Fabric - ProPlus IV (4 x 50) /ea 4 oz. Woven/Non Woven, 20 yr. weed barrier: landscape beds, gardens, decks, patios, sidewalks. ProPlus V /ea 4 oz. Woven/Non Woven, 20 yr. weed barrier: landscape beds, gardens, decks, patios, sidewalks. ProPlus V /ea 5 oz. Woven/Non Woven, 20 yr. weed barrier: landscape beds, gardens, decks, patios, sidewalks. ProPlus V /ea FPPV 05250 SRW Landscape Fabric - ProPlus V (5 x 250) /ea 5 oz. Woven/Non Woven. 25 yr. weed barrier. 138.88 sq.yds/roll /ea 1244 Steel Fabric Stick Pins 500/cs /cs		slopes, soft soils under embankment, sub-grade stabilization and waste containment/landfill applications.	
FNW6 06300 SRW Landscape Fabric - NW6 (6 x 300) /ea 6 oz. Non-Woven needle punched: drainage and filtration. 200 sq.yds/roll /ea FPP1V 04050 SRW Landscape Fabric - ProPlus IV (4 x 50) /ea 4 oz. Woven/Non Woven, 20 yr. weed barrier: landscape beds, gardens, decks, patios, sidewalks. ProPlus V Tips: For best weed control/soil stabilization, install fabric with the fuzzy side facing the ground. Install fuzzy side up for mulch stabilization. 22.22 sq.yds/roll /ea FPPV 05250 SRW Landscape Fabric - ProPlus V (5 x 250) /ea 5 oz. Woven/Non Woven. 25 yr. weed barrier. 138.88 sq.yds/roll /ea 1244 Steel Fabric Stick Pins 500/cs /cs	FNW4 04300	SRW Landscape Fabric - NW4 (4 x 300)	/ea
FPP1V 04050 SRW Landscape Fabric - ProPlus IV (4 x 50) /ea 4 oz. Woven/Non Woven, 20 yr. weed barrier: landscape beds, gardens, decks, patios, sidewalks. ProPlus V /ea Tips: For best weed control/soil stabilization, install fabric with the fuzzy side facing the ground. Install fuzzy side up for mulch stabilization. 22.22 sq.yds/roll /ea FPPV 05250 SRW Landscape Fabric - ProPlus V (5 x 250) /ea 5 oz. Woven/Non Woven. 25 yr. weed barrier. 138.88 sq.yds/roll /ea 1244 Steel Fabric Stick Pins 500/cs /cs		4 oz. Non-Woven needle punched: drainage and filtration. 133.33 sq.yds/roll	
FPP1V 04050 SRW Landscape Fabric - ProPlus IV (4 x 50) /ea 4 oz. Woven/Non Woven, 20 yr. weed barrier: landscape beds, gardens, decks, patios, sidewalks. ProPlus V Tips: For best weed control/soil stabilization, install fabric with the fuzzy side facing the ground. Install fuzzy side up for mulch stabilization. 22.22 sq.yds/roll /ea FPPV 05250 SRW Landscape Fabric - ProPlus V (5 x 250) /ea 5 oz. Woven/Non Woven. 25 yr. weed barrier. 138.88 sq.yds/roll /ea 1244 Steel Fabric Stick Pins 500/cs /cs	FNW6 06300	SRW Landscape Fabric - NW6 (6 x 300)	/ea
4 oz. Woven/Non Woven, 20 yr. weed barrier: landscape beds, gardens, decks, patios, sidewalks. ProPlus V Tips: For best weed control/soil stabilization, install fabric with the fuzzy side facing the ground. Install fuzzy side up for mulch stabilization. 22.22 sq.yds/roll FPPV 05250 SRW Landscape Fabric - ProPlus V (5 x 250) / ea 5 oz. Woven/Non Woven. 25 yr. weed barrier. 138.88 sq.yds/roll /ea 1244 Steel Fabric Stick Pins 500/cs /cs		6 oz. Non-Woven needle punched: drainage and filtration. 200 sq.yds/roll	
Tips: For best weed control/soil stabilization, install fabric with the fuzzy side facing the ground. Install fuzzy side up for mulch stabilization. 22.22 sq.yds/rollFPPV 05250SRW Landscape Fabric - ProPlus V (5 x 250) 5 oz. Woven/Non Woven. 25 yr. weed barrier. 138.88 sq.yds/roll1244Steel Fabric Stick Pins 500/cs	FPP1V 04050	SRW Landscape Fabric - ProPlus IV (4 x 50)	/ea
side up for mulch stabilization. 22.22 sq.yds/roll FPPV 05250 SRW Landscape Fabric - ProPlus V (5 x 250) /ea 5 oz. Woven/Non Woven. 25 yr. weed barrier. 138.88 sq.yds/roll /ea 1244 Steel Fabric Stick Pins 500/cs /cs		4 oz. Woven/Non Woven, 20 yr. weed barrier: landscape beds, gardens, decks, patios, sidewalks. ProPlus V	
FPPV 05250 SRW Landscape Fabric - ProPlus V (5 x 250) /ea 5 oz. Woven/Non Woven. 25 yr. weed barrier. 138.88 sq.yds/roll /ea 1244 Steel Fabric Stick Pins 500/cs /cs		Tips: For best weed control/soil stabilization, install fabric with the fuzzy side facing the ground. Install fuzzy	
1244 Steel Fabric Stick Pins 500/cs /cs		side up for mulch stabilization. 22.22 sq.yds/roll	
1244 Steel Fabric Stick Pins 500/cs /cs	FPPV 05250	SRW Landscape Fabric - ProPlus V (5 x 250)	/ea
		5 oz. Woven/Non Woven. 25 yr. weed barrier. 138.88 sq.yds/roll	
1245 Steel Fabric Stick Pins 1000/cs /cs	1244	Steel Fabric Stick Pins 500/cs	/cs
	1245	Steel Fabric Stick Pins 1000/cs	/cs

ltem#		Price
3555-8	Diamond Paver Edge - 8 ft.	/ea
	Diamond Paver Edge easily converts to flexible with use of a pruner. 8ft. strips, 10 per bundle. Stakes sold separately #765 or #761. 5 stakes recommended per 8ft. strip. Sold by the piece.	
765	Metal Anchoring Stakes	/ea
	9in. galvanized metal stakes, 200 pieces/case. Used for #3555-8 Diamond. Sold by the piece.	
752	Mighty Diamond Classic - 20 ft.	/ea
	Each 20ft. x 5in. flat strip comes with 4 metal stakes & 1 connector per piece. 5 pieces per bundle. Sold by the piece.	
707-S	Pro Steel Stakes	/ea
	12 inch in height. 40 stakes/case. Sold by the each or the case.	
708	Pro-Steel Edging - 10 ft. (Green) with 4 stakes	/ea
708-В	Pro-Steel Edging - 10 ft. (Black) with 4 stakes *while supplies last*	/ea
	14 gauge steel edging, green or black proclad protective coating 10ft. in length, 10 pcs. per bundle, 100lf/ per bundle, 30 bundles per skid. Sold by the piece. Comes with 4 stakes per piece.	
707-В	Pro-Steel Edging - 16 ft. (Black) with 6 stakes	/ea
	10 gauge steel edging, proclad protective coating. 16ft. in length, 5 pcs. per bundle, 80lf. per bundle, 20 bundles per skid. 300 lbs/bundle. Sold by the piece. Comes with 6 stakes per piece.	

Effective March 15th 2023, our policy for "Orders Ready, Over 30 Days"

• After an order becomes ready for pickup or delivery, the customer will have 30days to accept delivery of material or get it scheduled for delivery.

> This applies to orders that we are to ship, as well as orders that the customer intends to handle the freight on.

If we are scheduling it, and are being delayed in acquiring a carrier, the customer will not be held responsible. – As long as they are agreeing to a reasonable market rate that we provide.

• Once an order has hit the 30day threshold and is still sitting, the following will apply:

> Customer pays a 50% deposit to hold the order.

> Without a deposit, the order **will be cancelled** out of the system and the material will be available for the next in line.

> If a customer still wants the material on order after cancellation, a new order would be needed and current ETA's applied.

• Order status will be tracked in line with the ETA's posted on the orders.

> For example : If an order is given an ETA to be complete on May 1^{st} , but is ready early on April 10^{th} , the 30day tracking doesn't start until May 1^{st} .

> If ready past the ETA, timing starts when ready to be picked up/shipped.

• For any order that a customer would cancel *after* we have received the 50% deposit, that 50% will be handled as follows:

We will refund 25% (1/2 of their deposit amount)

> The remaining deposit, 25% of the order, will be the restocking fee as per our standard practice.

If you would like to receive product specials & pricing updates via e-mail, please forward your e-mail address(es) to info@semcostone.com

Useful Conversions

Square Feet = Square Inches X .007		
Square Yards = Square Feet X .111		
1 Square Yard = 9 Square Feet		
1 Cubic Yard = 27 Cubic Feet		
U.S. Gallons = Cubic Feet X 7.48		
Cubic Feet = 1 U.S. Gallon X .13368		
1 U.S. Gallon weighs 8.33 pounds		
1 Acre = 43,560 Square Feet		
Typical Home Yards = 5 to 7,000 sq.ft.		

Bagged Gravel

1 Cubic Foot bag spread 1" thick covers 12 sq.ft 1/2 Cubic Foot bag spread 1" thick covers 6-9 sq.ft.

Formulas for Calculations

Area in Square Feet = Length X Width Triangle Area = Base Length X .5 Perpendicular Height Circle Area = Diameter ² X .7854 Circle Circumference = Diameter X 3.1416 Circle Diameter = Circumference X .31831 Cubic Volume = Length X Width X Depth

Coverage for Various Depths

ONE CUBIC YARD WILL COVER: 324 Square Feet at a 1" depth 162 Square Feet at a 2" depth 108 Square Feet at a 3" depth 81 Square Feet at a 4" depth 65 Square Feet at a 5" depth 54 Square Feet at a 6" depth

Converting Tonnage to Coverage for Various Materials (Weight to Volume)

<u>Material</u>	Pounds per Cubic Yard	<u>1 Ton Covers</u>
Limestone Aggregate	1900	111 Square Feet at 3" depth
Limestone Grade 8	2300	93 Square Feet at 3" depth
Meramec Rock	2000	108 Square Feet at 3" depth
Sand	2250	96 Square Feet at 3" depth
Landscaping Stone (most types)	2150	100 Square Feet at 3" depth
Lava Rock	1075	200 Square Feet at 3" depth
Limestone Dry Wallstone	NA	Wall 1 Foot High X 20 Feet Long
Sandstone Dry Wallstone	NA	Wall 1 Foot High X 22 Feet Long
Red Granite Dry Wallstone	NA	Wall 1 Foot High X 22 Feet Long
Brown Natural Wallstone	NA	Wall 1 Foot High X 25 Feet Long
Limestone Flagstone	NA	Walkway 3' Wide X 30 Feet Long
Sandstone Flagstone	NA	Walkway 3' Wide X 30 Feet Long

Semco Stone is the owner of the exclusive rights to the designs, concepts, drawings and material displayed in this publication and set forth herein including rights of reproduction, making derivative copies, distribution, public performance and public display. Any reproduction, duplication, publication, use or modification is strictly prohibited without the express written consent of Semco Stone.



We Apprecíate your Busíness!



NOTES	

NOTES	



>>> WHY SEMCO STONE?

For over 25 years, Semco Stone has been setting the standards for quality in natural building stone veneer and landscape stone. Located in Missouri, near the Mississippi River, Semco Stone resides in the heart of Limestone Country. Our product offerings include – natural building stone veneer, landscape stone, a variety of retaining wall stone, natural and man-made paving materials, slabs, and so much more! We have provided the elegant beauty of Mother Nature's time-tested products to contractors, developers, wholesalers, distributors, nurseries, landscapers, garden centers, and retail outlets across the country since 1988.



>> WE QUARRY.

Our local quarries, Cedar Ridge and Blue River, provide a bountiful harvest of six distinctively different limestones. And our Brentwood Quarry boasts one of the most beautiful sandstones you will ever see.



>> WE FABRICATE.

Semco Stone has a state-of-the-art fabrication facility, tumbling and bagging operations. We are continuously striving to exceed industry standards through advancements in technology to better serve our customers.



>> WE STOCK.

As the largest distributor of natural stone in the Midwest, Semco Stone's Perryville, Missouri, yard occupies over 60 acres with an abundant inventory of both landscape and building stone.



>> WE DELIVER.

Whether dispatching our own fleet of equipment regionally, or utilizing our vast partnerships in the transportation industry nationally. We have all logistics needs covered.

LOOKING FOR MORE INSPIRATION?

Whether you're at home or on the go, you can gain inspiration for your building stone or natural stone project by visiting us online. You will find installation photos, product specifications, catalogs to download, new products and so much more.

Scan this QR code with your phone or tablet and check out our website.



